CDIL HEALTH SCIENCES PROFESSIONAL TEXTBOOK SERIES

VOLUME 4D-3

The CDIL Master Medical Language Reference

R-Z

A Rx Δ Q BP

Dr. Charles D. Bunbury II
Author

PLATINUM REVISION MASTER
PUBLICATION AUDIT IN PROGRESS

C. Douglas Institute of Learning
Making Education Easier

CDIL HEALTH SCIENCES
PROFESSIONAL TEXTBOOK SERIES

VOLUME 4D-3

MASTERING THE LANGUAGE OF HEALTHCARE

THE CDIL MASTER MEDICAL LANGUAGE REFERENCE

R–Z

Medical Terms and Word Elements R–Z

Dictionary • Encyclopedia • Thesaurus • Pronunciation • Word Families • Clinical Context

C. DOUGLAS INSTITUTE OF LEARNING
Making Education Easier

VOLUME 4D-3

The CDIL Master Medical Language Reference R-Z

PLATINUM COMPLETION CANDIDATE

This coordinated reference edition preserves the controlled medical-language entries and adds a final learning-resource section for retrieval, word construction, clinical translation, contrast recognition, documentation, assessment, and answer guidance.

Pronunciation is included only when verified in the controlled source. Learners should not infer pronunciation from spelling alone; institutional or specialty usage should be checked when uncertainty matters.

Medical terminology supports communication but does not independently establish a diagnosis, treatment plan, scope of practice, or legal authority. Meaning must remain anchored to context, source, certainty, laterality, timing, and professional responsibility.

Prepared for final CDIL freeze approval as part of the coordinated 4D reference set.

PLATINUM REFERENCE STANDARD

Recognize -> Decode -> Contextualize -> Distinguish -> Translate

Document -> Verify -> Retrieve -> Reuse

Accuracy before speed. Context before assumption.

R

44 entries

-rrhagia, -rrhage

excessive bleeding/discharge — hemorrhage family

-rrhaphy

suturing — herniorrhaphy

-rrhea

flow/discharge — rhinorrhea

radi/o

radiation/radiology context

radiation therapy

cancer treatment using ionizing radiation to damage tumor-cell DNA and control or destroy malignant tissue while limiting exposure of normal tissues.

radicul/o

nerve root

radiculopathy

disorder of a spinal nerve root causing pain, weakness, numbness, tingling, or reflex changes in the affected distribution.

radiograph

image produced using X-rays.

radiography

process of producing images using X-rays.

radius

forearm bone.

range-of-motion assessment

evaluation of how far a joint or body part can move actively or passively through its expected arc.

rash

on the front of the chest

RBC count

red blood cell number.

recurrence

return of disease or condition after improvement/remission.

recurrent infection

infection that returns after an interval of improvement or resolution, sometimes involving the same organism or site and sometimes a new episode.

red eye

visible redness of the eye or conjunctiva; a sign with infectious, inflammatory, traumatic, pressure-related, and other possible causes.

reference interval

expected range in a defined reference population.

reference range

range of values used to interpret a laboratory measurement in a specified population/method.

reflux

backward flow of contents through a body passage; commonly refers to gastric contents moving into the esophagus in gastroesophageal reflux.

refraction

measurement of the eye refractive error to determine optical correction needed for clear vision.

refused

patient declined administration.

rehabilitation

process aimed at restoring or optimizing function.

remission

decrease or disappearance of signs/symptoms of disease.

ren/o

kidney

renal

relating to the kidney.

renal biopsy

procedure obtaining kidney tissue for microscopic examination, usually with image-guided needle sampling.

renal ultrasound

ultrasound examination of the kidneys and often bladder or urinary tract to assess size, structure, obstruction, stones, cysts, or other abnormalities.

resolved

no longer present/active according to the context.

respiration

process of breathing and gas exchange; meaning varies by level of discussion.

respiratory failure

inability of the respiratory system to maintain adequate oxygenation and/or carbon dioxide elimination, defined by clinical and physiologic criteria.

respiratory rate

number of breaths per unit time.

retention

failure or inability to empty or release a body substance or content appropriately; meaning depends on context, such as urinary retention.

reticulocyte count

laboratory measurement of immature red blood cells used to assess bone marrow response to anemia or blood loss.

retin/o

retina

retinal detachment

separation of the neurosensory retina from underlying supportive tissue, a vision-threatening condition requiring urgent ophthalmic evaluation.

retinal photography

photographic imaging of the retina used for documentation, screening, and assessment of retinal disease.

retro-

behind, backward — retroperitoneal

rheumatoid arthritis

chronic systemic autoimmune inflammatory disease that primarily affects synovial joints and can involve other organs.

rhinoplasty

surgical reshaping/repair of the nose.

RLQ

right lower quadrant

route

path by which a medication is administered.

rule out

evaluate to exclude a condition; does not mean the condition is confirmed.

rupture of membranes

opening of the amniotic sac

RUQ

right upper quadrant

S

95 entries

-sclerosis

abnormal hardening — arteriosclerosis

-scopy

visual examination — bronchoscopy

-stenosis

narrowing — aortic stenosis

salping/o

uterine/fallopian tube in gynecologic terminology

salpingectomy

surgical removal of one or both fallopian tubes.

sarc/o

flesh/connective-tissue context

sarcoma

malignant tumor arising from connective, mesenchymal, or supportive tissues such as bone, muscle, fat, or blood vessels.

schizophrenia

chronic psychiatric disorder characterized by psychosis, disorganized thought or behavior, negative symptoms, and functional impairment.

scler/o

hardening

scoliosis

abnormal lateral curvature of the spine

screen

to test/assess for risk or possible disease in people not necessarily diagnosed.

screening

testing or assessment aimed at identifying risk or possible disease before definitive diagnosis.

screening test

test or assessment used to identify possible disease or risk in people who may not yet have symptoms or an established diagnosis.

scrot/o

scrotum

scrotal swelling

enlargement or edema of the scrotum, with causes including infection, hydrocele, hernia, trauma, torsion, tumor, or systemic disease.

scrotal ultrasound

ultrasound examination of the testes, epididymides, scrotal contents, and blood flow, commonly used for pain, swelling, or mass evaluation.

seb/o

sebum

seizure

an abnormal neuronal event

semen analysis

laboratory evaluation of semen volume, sperm concentration, motility, morphology, and related parameters, commonly used in fertility assessment.

semin/o

semen

sensitivity

in diagnostic testing, ability to identify people who have the target condition; also has other meanings in medicine.

sensorineural hearing loss

hearing loss caused by dysfunction of the cochlea, auditory nerve, or central auditory pathways rather than impaired sound conduction through the outer or middle ear.

SEPSIS

MASTER ENTRY |

Definition. life-threatening organ dysfunction caused by a dysregulated host response to infection.

Clinical use. “The clinician documented sepsis after evaluation.”

Clinical caution. Diagnosis and severity depend on the applicable clinical criteria and patient context.

septic shock

life-threatening circulatory and metabolic dysfunction caused by sepsis, characterized by persistent hypotension requiring vasopressors and other defined criteria despite adequate volume resuscitation.

septic/o

sepsis/infection context

septicemia

older and often imprecise term historically used for bloodstream infection or sepsis; modern documentation should use more specific terminology.

ser/o

serum

serology

laboratory study of antibodies, antigens, and other immune markers in serum or plasma.

serum creatinine

laboratory concentration of creatinine in serum, used with other information to assess kidney filtration and calculate estimated glomerular filtration rate.

sickle cell disease

inherited hemoglobin disorder caused by pathogenic variants producing hemoglobin S and characterized by hemolysis, vaso-occlusion, and multisystem complications.

side effect

secondary effect associated with a medication; may be expected or undesired depending on context.

skin grafting

surgical transfer of skin tissue from one site or donor source to cover a wound or tissue defect.

skin scraping

collection of superficial skin, scale, or other material by scraping for microscopic, culture, or other diagnostic examination.

slit-lamp examination

detailed eye examination using a binocular microscope with a focused slit of light to inspect anterior and some posterior ocular structures.

sodium

major extracellular electrolyte involved in fluid balance and nerve function.

somat/o

body

source-control procedure

procedure intended to eliminate or contain a source of infection, such as drainage of an abscess or removal of infected material or device.

specificity

in diagnostic testing, ability to identify people who do not have the target condition.

specimen

sample collected for laboratory or pathologic examination.

specimen collection

process of obtaining a patient sample such as blood, urine, swab, sputum, stool, or tissue for laboratory or pathologic testing.

spermat/o, sperm/o

sperm

spermatogenesis

process by which sperm cells develop from germ cells in the testes.

sphygm/o

pulse

spinal fusion

surgical procedure joining two or more vertebrae to stabilize the spine, often using bone graft and instrumentation.

spir/o

breathing

spirometry

measurement of aspects of pulmonary airflow and volume.

splen/o

spleen

splenectomy

surgical removal of the spleen.

splenomegaly

enlargement of the spleen.

splinting

application of a supportive device to immobilize or protect an injured body part while allowing for swelling and monitoring.

spondyl/o

vertebra

spondylosis

degenerative changes of the spine, commonly involving intervertebral discs, vertebral bodies, or facet joints.

sprain

injury to a ligament.

sputum

material coughed up from the lower respiratory tract.

sputum culture

microbiologic culture of expectorated lower-respiratory secretions used to identify organisms associated with respiratory infection.

sputum production

expectoration of mucus or other material from the lower respiratory tract during coughing.

squamous cell carcinoma

malignant tumor arising from squamous epithelial cells; occurs in skin and many internal organs and mucosal sites.

stable

not significantly changing; does not necessarily mean normal.

staging workup

set of examinations, imaging studies, procedures, and laboratory tests used to determine the extent of a diagnosed cancer or other staged disease.

statin

drug class that inhibits HMG-CoA reductase, lowers LDL cholesterol, and reduces cardiovascular risk.

steatorrhea

excess fat in stool, often producing pale, bulky, greasy, or difficult-to-flush stool.

stem-cell transplantation in selected diseases

transplantation of hematopoietic stem cells to restore blood and immune-cell production after high-dose therapy or to treat selected malignant, genetic, or immune disorders.

stent placement

procedure placing a small supportive tube or scaffold within a vessel, duct, airway, ureter, or other passage to maintain patency.

sterile

free of viable microorganisms in the context of sterilization standards.

stiffness

not identical to contracture

stimulant

drug that increases central nervous system activity and alertness; used therapeutically for conditions such as ADHD and narcolepsy and also subject to misuse.

strain

injury to muscle or tendon.

stress testing

cardiovascular test that evaluates heart function during exercise or pharmacologic stress, often with ECG and sometimes imaging.

stridor

a harsh sound associated with upper-airway obstruction and can signal urgency

structured psychiatric interview

standardized or semistructured interview used to assess psychiatric symptoms and support diagnosis according to defined criteria.

sub-

under — subcutaneous

subcutaneous

beneath the skin.

subdermal

beneath the skin.

subjective

based on a person’s reported experience.

sublingual

beneath the tongue.

subluxation

partial loss of normal alignment between joint surfaces; less complete than a dislocation.

substance use disorder

pattern of substance use causing clinically significant impairment or distress according to diagnostic criteria.

substance-use screening

brief assessment used to identify risky, harmful, or disordered use of alcohol or other substances and determine need for further evaluation.

suctioning

removal of secretions or other material using negative pressure through a catheter or suction device.

suicid/o

suicide-related terminology

suicidal ideation

thoughts about suicide and requires careful assessment

suicide risk assessment

structured clinical evaluation of suicidal thoughts, intent, plans, behaviors, protective factors, and other risk elements to guide safety and care.

superficial

nearer the body surface.

superior

above or toward the head relative to another structure.

supra-

above — suprapubic

Prefix/Suffix

surgical resection

surgical removal of part or all of an organ, lesion, tumor, or tissue region.

susceptibility

in microbiology, the degree to which an organism is inhibited or killed by an antimicrobial agent; more broadly, vulnerability to a condition or influence.

susceptibility testing

laboratory response under standardized conditions

suturing

closing or approximating tissue edges with stitches or suture material.

sweating

production and release of perspiration from sweat glands; excessive sweating may be described as diaphoresis.

swelling

increase in size or fullness of a body part caused by fluid, inflammation, bleeding, mass effect, or other processes.

SYNCOPE

MASTER ENTRY |

Definition. transient loss of consciousness caused by temporary reduction in cerebral perfusion, with spontaneous recovery; clinical definition and diagnostic evaluation require context.

Patient language. fainting or temporary loss of consciousness

Clinical use. “Syncope was documented during the patient assessment.”

Clinical caution. This term describes a symptom or finding; by itself it does not establish the cause.

Do not confuse with. near-syncope

syndrome

recognized group of signs, symptoms, or findings occurring together.

systemic lupus erythematosus

chronic autoimmune disease that can affect skin, joints, kidneys, blood cells, nervous system, and other organs through systemic inflammation.

systolic

relating to ventricular contraction; upper value in blood pressure.

Reference clinic: sepsis, specimen findings and diagnostic certainty

Applied teaching • V4D3-N01

Sepsis is not simply another name for a positive culture

Sepsis involves life-threatening organ dysfunction arising from a dysregulated response to infection. It describes a clinical syndrome, not merely recovery of an organism from a specimen. A positive blood culture, infection and sepsis are related but non-identical concepts. The WHO description supports this distinction. [S41]

Simplification can accidentally alter a clinical message. “The blood culture detected an organism” describes a laboratory finding. “The clinician diagnosed sepsis” attributes a clinical conclusion. The second cannot be produced merely by substituting words in the first. Neither should be discarded when both are relevant; their different sources and roles should remain visible.

A fictional record contains a culture notification and a later assessment. A student summarizing it should preserve that sequence. If the clinical diagnosis is documented, attribute it. If it is not documented, do not invent it from the laboratory result. The task tests source fidelity rather than diagnostic confidence.

Contamination is a hypothesis with consequences

A specimen can acquire material that does not represent the intended clinical target. Blood-culture contamination can complicate interpretation and lead to unnecessary follow-up; collection quality is therefore part of the evidence surrounding the result. [S18] Nevertheless, a learner should not label a finding contamination simply because an organism is unfamiliar or the patient appears well.

The laboratory and clinical team evaluate the finding using their approved process. The reference teaches the distinction between a possible explanation and an authorized interpretation. A useful exercise asks what collection information is available, what is missing and who should interpret the finding. It does not invite dismissal of a positive result without adequate evidence.

Screening, suspicion and confirmation

A screening process identifies people or specimens needing further evaluation within a defined pathway. A suspected diagnosis records uncertainty rather than incompetence. Confirmation depends on the relevant diagnostic framework, specific to the condition and setting. A reference cannot replace all these frameworks with one universal rule.

Consider the fictional message, “The screen is reactive; follow-up testing has been requested.” Plain language should explain that an initial result needs further evaluation. It should not become “You definitely have the disease” or “There is nothing to worry about.” Both add conclusions outside the message. Compassionate communication can acknowledge uncertainty without turning it into alarm or false reassurance.

Term in a record	Type of information	Required reading discipline
Specimen finding	Observation from a defined sample and method	Preserve specimen and method context
Suspected condition	A possibility being evaluated	Retain uncertainty
Confirmed diagnosis	A conclusion under an applicable framework	Identify its source and date
Sepsis	Clinical syndrome related to infection and organ dysfunction	Do not substitute a laboratory result for assessment

Table V4D3-N01-T1. Original educational comparison; numerical data are fictional where stated.

Worked summary and rationale

In an invented example, a specimen is collected at 08:00, a preliminary finding is communicated at 15:00, and the responsible clinician documents an assessment at 15:30. A summary should not imply that the assessment existed at 08:00. State the relevant events in order and distinguish preliminary information from later conclusions.

This discipline also applies when a diagnosis is revised. An earlier interpretation may have been reasonable given the evidence then available. An accurate record can retain earlier uncertainty and later revision without pretending that the final interpretation was always known. Learners otherwise acquire the misleading impression that sound clinical reasoning starts with certainty.

For mastery, explain why “positive culture equals sepsis” is an invalid substitution. Identify the difference between a finding and a syndrome rather than simply saying “context matters.” Then write a patient-facing explanation of preliminary information within your role, retaining the need for authorized interpretation.

T

66 entries

-tomy

cutting/incision — tracheotomy

tachy-

fast — tachycardia

TACHYCARDIA

MASTER ENTRY |

Definition. abnormally rapid heart rate according to clinical context; generally a measured or observed finding rather than a subjective sensation.

Word anatomy. tachy- = fast + cardi/o = heart

Patient language. heart rate faster than expected

Clinical use. “The clinician documented tachycardia after evaluation.”

Clinical caution. Diagnosis and severity depend on the applicable clinical criteria and patient context.

tachypnea

abnormally rapid breathing rate.

tachypneic

breathing rapidly.

targeted agent

drug designed to act on a specific molecular target, pathway, receptor, or cellular feature involved in disease.

targeted therapy

treatment using drugs or biologic agents directed at specific molecular targets or pathways involved in cancer or other diseases.

temperature

measure of body heat.

ten/o, tendin/o

tendon

tenderness

on the same side as the injury

tendin/o, ten/o

tendon

tendinopathy

disorder of a tendon involving pain and impaired function, often associated with degeneration and sometimes inflammation.

test/o

testis

testicular cancer

malignant neoplasm arising in testicular tissue, most commonly a germ-cell tumor.

testicular fixation

surgical fixation of a testis to prevent torsion, commonly performed as orchiopexy.

testicular pain

pain located in a testis or scrotal contents; causes range from benign conditions to urgent problems such as torsion.

testicular torsion

twisting of the spermatic cord that compromises testicular blood flow and requires urgent surgical evaluation.

therapeutic

relating to treatment intended to produce benefit.

therapeutic phlebotomy

planned removal of blood as treatment for conditions such as hemochromatosis or polycythemia vera.

thorac/o

chest/thorax

thoracentesis

puncture of pleural space to remove fluid/air or obtain a specimen.

thromb/o

clot

thrombectomy in selected stroke care

endovascular or surgical removal of an arterial blood clot in selected patients with acute ischemic stroke.

thrombocytopenia

abnormally low platelet count, which can increase bleeding risk depending on severity and cause.

thrombolytic in selected ischemic stroke care

fibrinolytic medication used in selected patients with acute ischemic stroke to dissolve an obstructing clot within defined eligibility criteria.

thrombosis

pathologic clot formation

thym/o

thymus

thyroid hormone replacement
administration of thyroid hormone, commonly levothyroxine, to treat hypothyroidism or replace absent thyroid function.

thyroid ultrasound
ultrasound examination of thyroid gland size, structure, nodules, cysts, and related cervical findings.

thyroid/o
thyroid

thyroid/o, thyr/o
thyroid gland

thyroidectomy
surgical removal of part or all of the thyroid gland.

thyroiditis
inflammation of the thyroid gland, which may be autoimmune, infectious, postpartum, drug-related, or other types.

tinea
superficial fungal infection of keratinized tissues such as skin, hair, or nails, named by body site in terms such as tinea pedis or tinea corporis.

tinnitus
perception of sound such as ringing, buzzing, or humming without an external sound source.

titration
planned adjustment of dose in response to clinical effect or measured target.

tonometry
measurement of intraocular pressure.

tonsill/o
tonsil

topical
applied to a body surface.

topical anti-inflammatory
anti-inflammatory medication applied to skin or another local surface to reduce inflammation at the site.

topical corticosteroid
corticosteroid preparation applied to skin or mucosal surfaces to reduce local inflammation.

toxic
capable of causing harm or poisoning.

toxic/o

poison/toxin

toxicity

degree or condition of harmful effect from a substance.

toxicology testing in selected contexts

laboratory testing for drugs, alcohols, toxins, or metabolites when exposure or poisoning is clinically relevant.

trache/o

trachea

tracheostomy

creation of a surgical opening into the trachea.

tracheotomy

incision into the trachea.

trans-

across, through — transdermal

transdermal

across or through the skin.

transfusion

administration of blood or blood components.

transient ischemic attack

transient episode of neurologic dysfunction caused by focal ischemia without acute infarction on modern tissue-based definitions.

transurethral prostate procedure

procedure performed through the urethra to remove, vaporize, or otherwise treat obstructive prostate tissue, commonly for benign prostatic hyperplasia.

trauma

physical injury or severe psychological injury depending on context.

traumatic brain injury

disruption of normal brain function caused by external mechanical force, ranging from mild concussion to severe injury.

tremor

involuntary rhythmic oscillatory movement of a body part.

tri-

three — tricuspid

Prefix/Suffix

trich/o

hair

TSH

thyroid-stimulating hormone; pituitary hormone measured in blood as a primary test of thyroid regulation.

TUMOR

MASTER ENTRY |

Definition. abnormal growth of tissue; may be benign or malignant.

Clinical use. "The clinical record uses the term tumor in context."

Clinical caution. Interpret the term within its source, clinical context, and level of certainty.

tumor marker

measurable molecule produced by a tumor or host response that may assist in diagnosis, prognosis, treatment monitoring, or surveillance but is rarely diagnostic by itself.

tympan/o

tympanic membrane/middle ear

tympanic membrane perforation

hole or tear in the eardrum, caused by infection, trauma, pressure change, or other injury.

tympanometry

test of middle-ear function that measures tympanic membrane mobility as air pressure changes in the ear canal.

tympanostomy-tube placement

procedure placing a small ventilation tube through the tympanic membrane to ventilate the middle ear and reduce recurrent fluid or infection in selected patients.

type and screen

blood-bank testing that determines ABO/Rh type and screens for unexpected red-cell antibodies before possible transfusion.

U

25 entries

-uria

urine condition — hematuria

ultrasonography

diagnostic imaging using high-frequency sound waves.

uni-

one — unilateral

unilateral

involving one side.

unintentional weight loss

loss of body weight that occurs without deliberate dieting or increased activity and may signal medical, psychiatric, nutritional, or social problems.

upper endoscopy

endoscopic examination of the esophagus, stomach, and proximal duodenum using a flexible instrument passed through the mouth.

ur/o

urine/urinary tract

ur/o, urin/o

urine/urinary tract

Ureter

tube carrying urine from kidney to bladder.

ureter/o

ureter

ureteral stent placement

procedure placing a thin tube inside the ureter to maintain urine flow from kidney to bladder, often for obstruction or after urologic procedures.

urethr/o

urethra

Urethra

tube carrying urine from bladder to exterior.

urgency

a sudden compelling need to void

URINALYSIS

MASTER ENTRY |

Definition. laboratory analysis of urine.

Word anatomy. ur/o = urine/urinary tract + -lysis = breakdown/destruction/separation

Clinical use. “Urinalysis was included in the diagnostic or procedural plan.”

Clinical caution. The name of a test or procedure does not by itself state the result, technique, or clinical outcome.

urinary catheterization

insertion of a catheter through the urethra into the bladder to drain urine, measure output, or perform selected procedures.

urinary hesitancy

difficulty initiating the urinary stream.

urinary retention

inability to empty the bladder completely or to urinate despite bladder filling.

urinary tract infection

infection involving part of the urinary tract, such as urethra, bladder, ureters, or kidneys, established by symptoms and/or testing according to context.

urine culture

microbiologic culture of urine used to identify organisms and assess possible urinary tract infection.

urine protein testing

laboratory testing for protein or albumin in urine, used to evaluate kidney disease and selected systemic conditions.

urticaria

transient raised, itchy wheals caused by dermal edema, often associated with allergic or immune reactions.

uter/o, hyster/o

uterus

uterotonic

medication that stimulates uterine contraction, commonly used to prevent or treat postpartum hemorrhage or support obstetric management.

uveitis

inflammation of the uveal tract of the eye and sometimes adjacent ocular structures.

V

32 entries

vaccination

administration of a vaccine to stimulate protective immunity against a specific infectious disease.

vagin/o

vagina

vaginal birth

delivery of a fetus through the vagina, either spontaneous or assisted depending on circumstances.

vaginal bleeding

bleeding originating from the vagina, cervix, uterus, or reproductive tract; significance depends on age, pregnancy status, timing, and amount.

vaginal discharge

fluid or material from the vagina; may be physiologic or associated with infection, inflammation, bleeding, or other conditions.

vaginitis

inflammation of the vagina, commonly caused by infection, altered flora, hormonal changes, irritation, or other factors.

valve replacement

surgical or transcatheter replacement of a diseased heart valve with a prosthetic valve.

varicocele

abnormal dilation of veins in the scrotal pampiniform plexus, usually more prominent on the left.

vas/o

vas deferens in selected terms

vascular ultrasound

ultrasound examination using grayscale and Doppler techniques to assess blood vessels, flow, obstruction, thrombosis, stenosis, or aneurysm.

vasectomy

a procedure that blocks the sperm-carrying tubes for permanent contraception

VEIN

MASTER ENTRY |

Definition. blood vessel carrying blood toward the heart.

Clinical use. “The report refers to the vein in describing the anatomic location.”

Clinical caution. Anatomical terminology identifies structure or location; clinical meaning depends on the full sentence and context.

Memory association. Memory association: IN appears in veIN. Veins carry blood in toward the heart. Memory aid, not etymology.

ven/o

vein

VENIPUNCTURE

MASTER ENTRY |

Definition. puncture of a vein with a needle, commonly to collect blood or establish venous access.

Clinical use. “Venipuncture was included in the diagnostic or procedural plan.”

Clinical caution. The name of a test or procedure does not by itself state the result, technique, or clinical outcome.

venous

relating to a vein.

ventral

relating to the front/anterior surface in human anatomy.

vertigo

sensation of movement or spinning.

vestibul/o

balance system

vestibular suppressant in selected cases

medication used for short-term relief of vertigo, nausea, or motion symptoms by reducing vestibular activity in selected conditions.

vestibular testing

group of tests evaluating the balance system, including inner-ear and related neurologic function.

vir/o

virus

viral

relating to viruses.

viral infection

infection caused by a virus replicating in host cells and producing disease or asymptomatic infection.

viremia

presence of virus in the bloodstream.

vision loss

partial or complete reduction of visual function in one or both eyes; may be sudden or gradual and can have ocular or neurologic causes.

visual acuity testing

measurement of clarity or sharpness of vision, commonly using standardized letter or symbol charts.

visual-field defect

area of reduced or absent vision within the normal field of view.

visual-field testing

assessment of central and peripheral visual fields to detect defects from ocular, optic-nerve, or neurologic disease.

vital signs

basic physiologic measurements such as temperature, pulse, respirations, blood pressure, and often oxygen saturation.

vitamin B12

water-soluble vitamin required for DNA synthesis, neurologic function, and red blood cell production; deficiency can cause megaloblastic anemia and neurologic symptoms.

vitrectomy

surgical removal of some or all of the vitreous gel from the eye.

vulv/o

vulva

W

9 entries

warmth

increased temperature of tissue on palpation or subjective sensation of heat; may accompany inflammation, infection, vascular changes, or injury.

WBC count

white blood cell number.

weak urinary stream

reduced force or caliber of urine flow, commonly associated with bladder outlet obstruction or impaired bladder contraction.

weakness

not the same as pain-limited movement

weight change

increase or decrease in body weight over time; interpretation depends on intentionality, rate, fluid status, nutrition, and clinical context.

wheeze

a musical sound often associated with narrowed lower airways

white-cell differential

laboratory count or percentage distribution of different white blood cell types such as neutrophils, lymphocytes, monocytes, eosinophils, and basophils.

wound culture

microbiologic culture of material collected from a wound to identify organisms and, when applicable, antimicrobial susceptibility.

wound drainage

fluid or material leaving a wound, described by amount, color, odor, and character such as serous, sanguineous, serosanguineous, or purulent.

X

1 entries

xerosis

abnormally dry skin.

Z

3 entries

zoon/o

animal-related disease transmission

zoonotic

relating to an infection or disease that can be transmitted between animals and humans.

zoonotic disease

infectious disease that can be transmitted between animals and humans directly or through vectors, food, environment, or other routes.

Evidence for the new teaching sections

These sources support the specifically cited additions, not every inherited statement. Unattributed cases, numerical datasets and comparisons in the new sections are original educational constructions. Current practice requires the approved local procedure, manufacturer instructions and appropriate professional authorization.

[S18] CDC. Prevent Adult Blood Culture Contamination (31 March 2026). https://www.cdc.gov/lab-quality/php/prevent-adult-blood-culture-contamination/index.html Accessed 2026-09-09. Contamination and volume as quality issues.

[S41] WHO. Sepsis. https://www.who.int/news-room/fact-sheets/detail/sepsis Accessed 2026-09-09. Organ dysfunction from a dysregulated response to infection, not a positive culture alone.

VOLUME 4D-3 / SOURCE NOTES AND PROVENANCE

Sources for the visual learning plates

These entries support the specified new plates. They do not certify every inherited statement, illustration or practice in the main text. Source organisations have not endorsed this book. New vector drawings are original CDIL educational designs, not copied agency or publisher artwork. Publication and clinical decisions must use the applicable full standards and current authorised procedures.

[COMM] Agency for Healthcare Research and Quality. TeamSTEPPS: Check-Back, Teach-Back and Handoff.
https://www.ahrq.gov/teamstepps-program/curriculum/communication/tools/checkback.html
Communication principles; original CDIL graphics, not agency artwork.

[LAB] US National Library of Medicine. How to Understand Your Lab Results.
https://medlineplus.gov/lab-tests/how-to-understand-your-lab-results/
Reference intervals, test context and interpretation limits.

[MICRO] OpenStax / Rice University. Microbiology: microscopy, cell structure, microbial growth and immunity.
https://openstax.org/books/microbiology/pages/1-introduction
Reference for established microbiology; independently drawn schematic figures, not copied artwork or validated organism images.

[PCR] US National Library of Medicine. PCR Tests.
https://medlineplus.gov/lab-tests/pcr-tests/
Nucleic-acid amplification; detection does not establish viability by itself.

[PHL] World Health Organization. WHO Guidelines on Drawing Blood: Best Practices in Phlebotomy (2010).
https://www.ncbi.nlm.nih.gov/books/NBK138665/
Foundational collection principles; current manufacturer instructions and authorized local practice govern procedures.

[QMS] World Health Organization. Laboratory Quality Management System Handbook (2011).
https://www.who.int/publications-detail-redirect/9789241548274
Foundational quality-system reference, not a clause-by-clause ISO audit. No WHO figures copied.

[URINE] US National Library of Medicine. Urinalysis.
https://medlineplus.gov/ency/article/003579.htm
Physical, chemical and microscopic evidence.

VOLUME 4D-3 / VISUAL ATLAS INDEX

Visual atlas index and reading links

This index covers the added learning plates. It is not a replacement for a complete, evidence-audited subject index of the inherited textbook. All numbers refer to PDF pages.

accession	35
chemical urinalysis	33
colonisation	34
contamination	34
conversion	32
infection	34
labelling	35
measurement	32
microbial detection	34
numerical communication	32
patient identification	35
physical examination	33
specimen identification	35
units	32
urinalysis	33
urine microscopy	33

RELATED MAIN-TEXT READING

W04 A number needs a quantity and a unit	5
U01 Urinalysis combines three kinds of observation	23
M01 Microbial detection is not the same as infection	15

SUBJECT INDEX

Find the teaching

Page numbers are PDF page positions, counting the front cover as page 1. Select a number to open that page. **f** identifies a visual-atlas page. Entries select useful teaching locations rather than every mention.

Headwords point directly to their entries; additional subjects locate the explanatory teaching and visual atlas.

A

Abnormal 8, 21, 24
Acute 18, 20
Anemia 6, 26
Anterior 10, 25
Assessment 4, 6, 8, 13, 15
Authorization 30

B

Benign 18, 20

C

Cardiovascular 12
Certainty 15, 21
Chronic 6, 8, 14
Clinical meaning 24
Communication 15
Confirmed 6, 15
Contamination 15, 34f
Context 9, 14, 16, 32f, 34f
Culture 11, 15, 23, 27

D

Definition 9, 14, 17, 20, 23
Diagnosis 8, 13, 15, 17, 34f
Disease 6, 8, 12, 15, 29
Documentation 6, 9

E

Error 5, 35f
Evidence 15, 30, 33f, 35f

H

Hemoglobin 10

I

Immune 10, 12, 23
Interpretation 16, 27, 34f

M

Malignant 4, 8, 12, 18, 21
Medical language 31

N

Negative 8, 13
Nervous 12, 14
Normal 4, 12, 20, 26
Not documented 15

P

Patient language 14, 17
Plain language 15
Positive 15, 34f
Postpartum 19, 23
Prefix 14, 20
Procedure 10, 12, 30, 33f, 36

R

Radi/o 4
Radiation therapy 4
Radicul/o 4
Radiculopathy 4
Radiograph 4
Radiography 4
Radius 4
Range-of-motion assessment 4
Rash 4
RBC count 4
Recurrence 4
Recurrent infection 5
Red eye 5
Reference interval 5
Reference range 5
Reflux 5

Refraction 5
Refused 5
Rehabilitation 5
Remission 5
Ren/o 5
Renal 5
Renal biopsy 5
Renal ultrasound 5
Reproductive 24
Resolved 5
Respiration 6
Respiratory 6, 11
Respiratory failure 6
Respiratory rate 6
Retention 6
Reticulocyte count 6
Retin/o 6
Retinal detachment 6
Retinal photography 6
Retro- 6
Rheumatoid arthritis 6
Rhinoplasty 6
Risk assessment 13
RLQ 6
Root 4
Route 6
-rrhagia, -rrhage 4
-rrhaphy 4
-rrhea 4
Rule out 6
Rupture of membranes 6
RUQ 7

S

Salping/o 8
Salpingectomy 8
Sarc/o 8
Sarcoma 8
Schizophrenia 8
Scler/o 8
-sclerosis 8
Scoliosis 8
-scopy 8
Screen 8
Screening 8
Screening test 8
Scrot/o 8
Scrotal swelling 9
Scrotal ultrasound 9
Seb/o 9
Seizure 9
Semen analysis 9
Semin/o 9
Sensitivity 9
Sensorineural hearing loss 9
Sepsis 9
Septic shock 9
Septic/o 9
Septicemia 9
Ser/o 10
Serology 10
Serum creatinine 10
Sickle cell disease 10
Side effect 10
Sign 5, 14, 26
Skin grafting 10
Skin scraping 10
Slit-lamp examination 10
Sodium 10
Somat/o 10
Source-control procedure 10
Specificity 10
Specimen 10
Specimen collection 10
Spermat/o, sperm/o 11
Spermatogenesis 11
Sphygm/o 11
Spinal fusion 11
Spir/o 11
Spirometry 11
Splen/o 11
Splenectomy 11
Splenomegaly 11
Splinting 11

Spondyl/o 11
Spondylosis 11
Sprain 11
Sputum 11
Sputum culture 11
Sputum production 12
Squamous cell carcinoma 12
Stable 12
Staging workup 12
Statin 12
Steatorrhea 12
Stem-cell transplantation in selected diseases 12
-stenosis 8
Stent placement 12
Sterile 12
Stiffness 12
Stimulant 12
Strain 12
Stress 12
Stress testing 12
Stridor 12
Structured psychiatric interview 13
Sub- 13
Subcutaneous 13
Subdermal 13
Subjective 13
Sublingual 13
Subluxation 13
Substance use disorder 13
Substance-use screening 13
Suctioning 13
Suffix 14, 20
Suicid/o 13
Suicidal ideation 13
Suicide risk assessment 13
Superficial 13
Superior 13
Supra- 14
Surgical resection 14
Susceptibility 14
Susceptibility testing 14
Suspected 15
Suturing 14
Sweating 14
Swelling 14
Symptom 5, 8, 14, 23, 25
Syncope 14
Syndrome 14
Systemic lupus erythematosus 14
Systolic 14

T

Tachy- 17
Tachycardia 17
Tachypnea 17
Tachypneic 17
Targeted agent 17
Targeted therapy 17
Temperature 17
Ten/o, tendin/o 17
Tenderness 17
Tendin/o, ten/o 17
Tendinopathy 17
Terminology 8, 13, 24
Test/o 18
Testicular cancer 18
Testicular fixation 18
Testicular pain 18
Testicular torsion 18
Therapeutic 18
Therapeutic phlebotomy 18
Thorac/o 18
Thoracentesis 18
Thromb/o 18
Thrombectomy in selected stroke care 18
Thrombocytopenia 18
Thrombolytic in selected ischemic stroke care 18
Thrombosis 18
Thym/o 18
Thyroid 19, 21
Thyroid hormone replacement 19
Thyroid ultrasound 19
Thyroid/o 19
Thyroid/o, thyr/o 19

Thyroidectomy 19
Thyroiditis 19
Tinea 19
Tinnitus 19
Titration 19
-tomy 17
Tonometry 19
Tonsill/o 19
Topical 19
Topical anti-inflammatory 19
Topical corticosteroid 19
Toxic 19
Toxic/o 20
Toxicity 20
Toxicology testing in selected contexts 20
Trache/o 20
Tracheostomy 20
Tracheotomy 20
Trans- 20
Transdermal 20
Transfusion 20
Transient ischemic attack 20
Transurethral prostate procedure 20
Trauma 20
Traumatic brain injury 20
Tremor 20
Tri- 20
Trich/o 21
TSH 21
TUMOR 21
Tumor marker 21
Tympan/o 21
Tympanic membrane perforation 21
Tympanometry 21
Tympanostomy-tube placement 21
Type and screen 21

U

Ultrasonography 22
Uncertainty 15, 35f
Uni- 22
Unilateral 22
Unintentional weight loss 22
Units 32f
Upper endoscopy 22
Ur/o 22
Ur/o, urin/o 22
Ureter 22
Ureter/o 22
Ureteral stent placement 22
Urethr/o 22
Urethra 22
Urgency 22
-uria 22
Urinalysis 23
Urinary 5, 23, 27
Urinary catheterization 23
Urinary hesitancy 23
Urinary retention 23
Urinary tract infection 23
Urine culture 23
Urine protein testing 23
Urticaria 23
Uter/o, hyster/o 23
Uterotonic 23
Uveitis 23

V

Vaccination 24
Vagin/o 24
Vaginal birth 24
Vaginal bleeding 24
Vaginal discharge 24
Vaginitis 24
Valve replacement 24
Varicocele 24
Vas/o 24
Vascular ultrasound 24
Vasectomy 24
VEIN 24
Ven/o 25
Venipuncture 25
Venous 25
Ventral 25

Vertigo 25
Vestibul/o 25
Vestibular suppressant in selected cases 25
Vestibular testing 25
Vir/o 25
Viral 25
Viral infection 25
Viremia 25
Vision loss 25
Visual acuity testing 26
Visual-field defect 26
Visual-field testing 26
Vital signs 26
Vitamin B12 26
Vitrectomy 26
Vulv/o 26

W

Warmth 27
WBC count 27
Weak urinary stream 27
Weakness 27
Weight change 27
Wheeze 27
White-cell differential 27
Wound culture 27
Wound drainage 27

X

Xerosis 28

Z

Zoon/o 29
Zoonotic 29
Zoonotic disease 29

VOLUME 4D-3

Platinum Reference Learning Laboratory

The CDIL Master Medical Language Reference R-Z

Purpose

This final learning section converts the reference volume from a lookup tool into an active clinical-language laboratory. Use it to decode unfamiliar terms, distinguish look-alike words, translate technical language without distorting meaning, document safely, and retrieve terms efficiently.

Core rule: preserve what the source actually says. Do not promote possibility to certainty, do not drop laterality or timing, and do not use terminology knowledge as a substitute for clinical authority.

Visual Learning Map 1 - Building a Medical Term

PREFIX	ROOT / COMBINING FORM	SUFFIX	MEANING CHECK
changes direction, amount, time, or relation	names body part, structure or core idea	describes condition, procedure, process, or state	reassemble in plain language; verify context

TERM	PART 1	PART 2	PART 3	SAFE PLAIN-LANGUAGE RECONSTRUCTION
tachypnea	tachy-	-pnea		rapid breathing
thrombectomy	thromb	-ectomy		removal of a thrombus
rhinorrhea	rhin/o	-rrhea		nasal discharge/flow
vasoconstriction	vas/o	constrict	-ion	process of vessel narrowing

Visual Learning Map 2 - From Source Language to Safe Communication

1. SOURCE	What exactly was written or said?
2. DECODE	What do the word parts and full term mean?
3. CONTEXT	What body system, document type, timing and certainty apply?
4. CONTRAST	Is there a look-alike or opposite term that could be confused?
5. TRANSLATE	How can the meaning be explained without adding or removing information?
6. DOCUMENT	Use the verified term, preserve uncertainty, and cite/attribute when required.

The most common language error is not failure to know a definition. It is loss of context: dropping a qualifier, changing certainty, confusing a symptom with a diagnosis, or reusing an abbreviation without verification.

High-Risk Look-Alike and Contrast Terms

TERM A	TERM B	DISTINCTION TO PRESERVE
radiograph	radiography	the image versus the process of creating it
recurrent	refractory	returns after improvement versus resists expected treatment
sepsis	septicemia	current sepsis concept versus older bloodstream terminology
sign	symptom	objective finding versus patient-experienced problem
stenosis	stricture	narrowing; terms overlap but context and structure matter
tachypnea	tachycardia	rapid breathing versus rapid heart rate
thrombosis	embolism	local clot formation versus traveling intravascular material
ulcer	erosion	deeper tissue defect versus more superficial loss
venous	arterial	vein-related versus artery-related
wheal	vesicle	raised edematous lesion versus small fluid-filled blister

R-Z Term Retrieval and Context Practice

Use these entries as retrieval drills. Cover the definition, explain the term aloud, then uncover the definition and compare. The source page is included so the learner can return to the full entry.

TERM	CORE MEANING / CONTEXT	SOURCE
44 entries	-rrhagia, -rrhage excessive bleeding/discharge — hemorrhage family	4
radiculopathy	disorder of a spinal nerve root causing pain, weakness, numbness, tingling, or reflex changes in the affected distribution.	4
RBC count	red blood cell number.	4
refused	patient declined administration.	5
resolved	no longer present/active according to the context.	5
retina	retinal detachment separation of the neurosensory retina from underlying supportive tissue, a vision-threatening condition requiring urg	6
rule out	evaluate to exclude a condition; does not mean the condition is confirmed.	6
salpingectomy	surgical removal of one or both fallopian tubes.	8
screening	testing or assessment aimed at identifying risk or possible disease before definitive diagnosis.	8
sensitivity	in diagnostic testing, ability to identify people who have the target condition; also has other meanings in medicine.	8
serum creatinine	laboratory concentration of creatinine in serum, used with other information to assess kidney filtration and calculate estimated glomeru	10
sodium	major extracellular electrolyte involved in fluid balance and nerve function.	10

TERM	CORE MEANING / CONTEXT	SOURCE
pulse	spinal fusion surgical procedure joining two or more vertebrae to stabilize the spine, often using bone graft and instrumentation.	11
sprain	injury to a ligament.	11
staging workup	set of examinations, imaging studies, procedures, and laboratory tests used to determine the extent of a diagnosed cancer or other sta	12
stiffness	not identical to contracture stimulant	12
sub-	under — subcutaneous subcutaneous	13
substance use disorder	pattern of substance use causing clinically significant impairment or distress according to diagnostic criteria	13
superficial	nearer the body surface.	13
suturing	closing or approximating tissue edges with stitches or suture material.	14
Applied teaching • V4D3-N01	Sepsis is not simply another name for a positive culture Sepsis involves life-threatening organ dysfunction arising from a dysregulated	15
assessment	Table V4D3-N01-T1. Original educational comparison; numerical data are fictional where stated.	15
targeted agent	drug designed to act on a specific molecular target, pathway, receptor, or cellular feature involved in disease.	17
testicular fixation	surgical fixation of a testis to prevent torsion, commonly performed as orchiopexy.	18

TERM	CORE MEANING / CONTEXT	SOURCE
clot	thrombectomy in selected stroke care endovascular or surgical removal of an arterial blood clot in selected patients with acute ischemi	18
thyroid	thyroid/o, thyr/o thyroid gland	19
tonometry	measurement of intraocular pressure.	19
toxicology testing in selected contexts	laboratory testing for drugs, alcohols, toxins, or metabolites when exposure or poisoning is clinically relevant.	20
transient ischemic attack	transient episode of neurologic dysfunction caused by focal ischemia without acute infarction on modern tissue-based definitions.	20
tumor marker	measurable molecule produced by a tumor or host response that may assist in diagnosis, prognosis, treatment monitoring, or surveilla	21
-uria	urine condition — hematuria ultrasonography	22
ur/o	urine/urinary tract ur/o, urin/o	22
urinary hesitancy	difficulty initiating the urinary stream.	23
uterotonic	medication that stimulates uterine contraction, commonly used to prevent or treat postpartum hemorrhage or support obstetric manage	23
vaginitis	inflammation of the vagina, commonly caused by infection, altered flora, hormonal changes, irritation, or other factors.	24
venous	relating to a vein.	25

TERM	CORE MEANING / CONTEXT	SOURCE
viral	relating to viruses.	25
visual-field testing	assessment of central and peripheral visual fields to detect defects from ocular, optic-nerve, or neurologic disease.	26
weak urinary stream	reduced force or caliber of urine flow, commonly associated with bladder outlet obstruction or impaired bladder contraction.	27
wound drainage	fluid or material leaving a wound, described by amount, color, odor, and character such as serous, sanguinous, serosanguineous, or	27
Master Medical Language Reference Plates	Use these plates alongside the main text. Start by describing what the visual actually shows, then read the explanation, answer the qu	31
Quantity, unit, specimen	and timing are unclear.	32
Urinalysis combines three kinds of observation	ORIGINAL EDUCATIONAL DIAGRAM / COMPARISON Physical	33
organisms or artefacts	assessed under a controlled method.	33
Specimen, site, method	and patient context determine the supported	34
Sources for the visual learning plates	These entries support the specified new plates. They do not certify every inherited statement, illustration or practice in the main text. S	36
Visual atlas index and reading links	This index covers the added learning plates. It is not a replacement for a complete, evidence-audited subject index of the inherited text	37
Abnormal 8, 21, 24	Acute 18, 20 Anemia 6, 26	38

TERM	CORE MEANING / CONTEXT	SOURCE
Contamination 15, 34f	Context 9, 14, 16, 32f, 34f Culture 11, 15, 23, 27	38
Normal 4, 12, 20, 26	Not documented 15	38
Radius 4	Range-of-motion assessment 4 Rash 4	38
Remission 5	Ren/o 5 Renal 5	39
Reticulocyte count 6	Retin/o 6 Retinal detachment 6	39
-rrhea 4	Rule out 6 Rupture of membranes 6	39
-scopy 8	Screen 8 Screening 8	39
Sensorineural hearing loss 9	Sepsis 9 Septic shock 9	39
Skin scraping 10	Slit-lamp examination 10 Sodium 10	39
Spir/o 11	Spirometry 11 Splen/o 11	39
Sputum production 12	Squamous cell carcinoma 12 Stable 12	40
Strain 12	Stress 12 Stress testing 12	40

TERM	CORE MEANING / CONTEXT	SOURCE
Substance-use screening 13	Suctioning 13 Suffix 14, 20	40
Suspected 15	Suturing 14 Sweating 14	40
Targeted agent 17	Targeted therapy 17 Temperature 17	40
Testicular torsion 18	Therapeutic 18 Therapeutic phlebotomy 18	40
Thyroid hormone replacement 19	Thyroid ultrasound 19 Thyroid/o 19	40
Tonsill/o 19	Topical 19 Topical anti-inflammatory 19	41
Transdermal 20	Transfusion 20 Transient ischemic attack 20	41
Tympanic membrane perforation 21	Tympanometry 21 Tympanostomy-tube placement 21	41
Ur/o, urin/o 22	Ureter 22 Ureter/o 22	41
Urinary retention 23	Urinary tract infection 23 Urine culture 23	41
Vaginal discharge 24	Vaginitis 24 Valve replacement 24	41
42	Vertigo 25 Vestibul/o 25	42

Clinical Translation Laboratory

For each scenario, write a response that preserves meaning, uncertainty, identity, timing and professional boundaries.

Case 1. Referral note. The note contains a familiar term, an unfamiliar modifier, and an abbreviation. Decode the word parts, preserve the modifier, verify the abbreviation locally, and rewrite the meaning in plain language without adding a diagnosis.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 2. Laboratory result. A term in the report names a measurement rather than a disease. State exactly what was measured, distinguish the result from a diagnosis, and identify what contextual information would be needed before interpretation.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 3. Imaging report. The report contains a location term and a probability modifier. Translate both. Do not convert possibility into certainty and do not erase laterality or anatomical level.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 4. Medication record. A drug-class term appears beside a route and frequency. Separate the medication class from the administration instructions. Verify unfamiliar abbreviations before reuse.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 5. Handover. Two professionals use different words for the same concept. Identify the shared meaning, preserve any clinically important distinction, and choose a patient-friendly explanation.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 6. Patient portal message. The patient asks what a technical term means. Explain it in ordinary language, identify what the term does not establish by itself, and advise the learner to defer diagnosis or treatment decisions to the responsible clinician.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 7. Operative note. A procedure suffix indicates what was done. Decode the suffix, identify the body structure from the root, and distinguish the procedure from the underlying indication.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 8. Emergency documentation. A term is time-sensitive and easily confused with a similar term. Confirm spelling and meaning before documenting. Record observed findings separately from interpretation.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 9. Specimen label. The written term is correct but the patient identifier is inconsistent. Explain why terminology accuracy does not compensate for identification failure and state the safe next action.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Case 10. Cross-jurisdiction record. A spelling variant or abbreviation differs from local usage. Preserve the original meaning, avoid silently changing clinically significant content, and document the verified local equivalent when needed.

Mastery prompts: (a) What must be preserved? (b) What must be verified? (c) What could be misunderstood? (d) What would a patient-friendly explanation sound like?

Platinum Question Bank

Questions assess retrieval, distinction, translation and safe documentation. Answers follow the bank.

1. Define **44 entries** in your own words and state one context detail you would preserve when using it clinically.
2. A learner encounters **radiculopathy** in a report. What does the term mean, and what does the term *not* establish by itself?
3. Write a patient-friendly explanation of **RBC count** without changing the source meaning.
4. Define **refused** in your own words and state one context detail you would preserve when using it clinically.
5. A learner encounters **resolved** in a report. What does the term mean, and what does the term *not* establish by itself?
6. Write a patient-friendly explanation of **retina** without changing the source meaning.
7. Define **rule out** in your own words and state one context detail you would preserve when using it clinically.
8. A learner encounters **salpingectomy** in a report. What does the term mean, and what does the term *not* establish by itself?
9. Write a patient-friendly explanation of **screening** without changing the source meaning.
10. Define **sensitivity** in your own words and state one context detail you would preserve when using it clinically.
11. A learner encounters **serum creatinine** in a report. What does the term mean, and what does the term *not* establish by itself?
12. Write a patient-friendly explanation of **sodium** without changing the source meaning.
13. Define **pulse** in your own words and state one context detail you would preserve when using it clinically.
14. A learner encounters **sprain** in a report. What does the term mean, and what does the term *not* establish by itself?
15. Write a patient-friendly explanation of **staging workup** without changing the source meaning.

16. Define **stiffness** in your own words and state one context detail you would preserve when using it clinically.
17. A learner encounters **sub-** in a report. What does the term mean, and what does the term *not* establish by itself?
18. Write a patient-friendly explanation of **substance use disorder** without changing the source meaning.
19. Define **superficial** in your own words and state one context detail you would preserve when using it clinically.
20. A learner encounters **suturing** in a report. What does the term mean, and what does the term *not* establish by itself?
21. Write a patient-friendly explanation of **Applied teaching • V4D3-N01** without changing the source meaning.
22. Define **assessment** in your own words and state one context detail you would preserve when using it clinically.
23. A learner encounters **targeted agent** in a report. What does the term mean, and what does the term *not* establish by itself?
24. Write a patient-friendly explanation of **testicular fixation** without changing the source meaning.
25. Define **clot** in your own words and state one context detail you would preserve when using it clinically.
26. A learner encounters **thyroid** in a report. What does the term mean, and what does the term *not* establish by itself?
27. Write a patient-friendly explanation of **tonometry** without changing the source meaning.
28. Define **toxicology testing in selected contexts** in your own words and state one context detail you would preserve when using it clinically.
29. A learner encounters **transient ischemic attack** in a report. What does the term mean, and what does the term *not* establish by itself?
30. Write a patient-friendly explanation of **tumor marker** without changing the source meaning.

31. Define **-uria** in your own words and state one context detail you would preserve when using it clinically.
32. A learner encounters **ur/o** in a report. What does the term mean, and what does the term *not* establish by itself?
33. Write a patient-friendly explanation of **urinary hesitancy** without changing the source meaning.
34. Define **uterotonic** in your own words and state one context detail you would preserve when using it clinically.
35. A learner encounters **vaginitis** in a report. What does the term mean, and what does the term *not* establish by itself?
36. Write a patient-friendly explanation of **venous** without changing the source meaning.
37. Define **viral** in your own words and state one context detail you would preserve when using it clinically.
38. A learner encounters **visual-field testing** in a report. What does the term mean, and what does the term *not* establish by itself?
39. Write a patient-friendly explanation of **weak urinary stream** without changing the source meaning.
40. Define **wound drainage** in your own words and state one context detail you would preserve when using it clinically.
41. A learner encounters **Master Medical Language Reference R–Z** in a report. What does the term mean, and what does the term *not* establish by itself?
42. Write a patient-friendly explanation of **Quantity, unit, specimen** without changing the source meaning.
43. Define **Urinalysis combines three kinds of observation** in your own words and state one context detail you would preserve when using it clinically.
44. A learner encounters **organisms or artefacts** in a report. What does the term mean, and what does the term *not* establish by itself?
45. Write a patient-friendly explanation of **Specimen, site, method** without changing the source meaning.

46. Define **Sources for the visual learning plates** in your own words and state one context detail you would preserve when using it clinically.
47. A learner encounters **Visual atlas index and reading links** in a report. What does the term mean, and what does the term *not* establish by itself?
48. Write a patient-friendly explanation of **Abnormal 8, 21, 24** without changing the source meaning.
49. Define **Contamination 15, 34f** in your own words and state one context detail you would preserve when using it clinically.
50. A learner encounters **Normal 4, 12, 20, 26** in a report. What does the term mean, and what does the term *not* establish by itself?
51. Write a patient-friendly explanation of **Radius 4** without changing the source meaning.
52. Define **Remission 5** in your own words and state one context detail you would preserve when using it clinically.
53. A learner encounters **Reticulocyte count 6** in a report. What does the term mean, and what does the term *not* establish by itself?
54. Write a patient-friendly explanation of **-rrhea 4** without changing the source meaning.
55. Define **-scopy 8** in your own words and state one context detail you would preserve when using it clinically.
56. A learner encounters **Sensorineural hearing loss 9** in a report. What does the term mean, and what does the term *not* establish by itself?
57. Write a patient-friendly explanation of **Skin scraping 10** without changing the source meaning.
58. Define **Spir/o 11** in your own words and state one context detail you would preserve when using it clinically.
59. A learner encounters **Sputum production 12** in a report. What does the term mean, and what does the term *not* establish by itself?
60. Write a patient-friendly explanation of **Strain 12** without changing the source meaning.

Model Answer Guidance

1. 44 entries: -rrhagia, -rrhage excessive bleeding/discharge — hemorrhage family A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

2. radiculopathy: disorder of a spinal nerve root causing pain, weakness, numbness, tingling, or reflex changes in the affected distribution. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

3. RBC count: red blood cell number. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

4. refused: patient declined administration. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

5. resolved: no longer present/active according to the context. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

6. retina: retinal detachment separation of the neurosensory retina from underlying supportive tissue, a vision-threatening condition requiring urgent Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

7. rule out: evaluate to exclude a condition; does not mean the condition is confirmed. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

8. salpingectomy: surgical removal of one or both fallopian tubes. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

9. screening: testing or assessment aimed at identifying risk or possible disease before definitive diagnosis. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

10. sensitivity: in diagnostic testing, ability to identify people who have the target condition; also has other meanings in medicine. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

11. serum creatinine: laboratory concentration of creatinine in serum, used with other information to assess kidney filtration and calculate estimated glomerular filtration rate. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

12. sodium: major extracellular electrolyte involved in fluid balance and nerve function. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

13. pulse: spinal fusion surgical procedure joining two or more vertebrae to stabilize the spine, often using bone graft and instrumentation. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

14. sprain: injury to a ligament. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

15. staging workup: set of examinations, imaging studies, procedures, and laboratory tests used to determine the extent of a diagnosed cancer or other staged disease. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

16. stiffness: not identical to contracture stimulant A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

17. sub-: under — subcutaneous subcutaneous The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

18. substance use disorder: pattern of substance use causing clinically significant impairment or distress according to diagnostic criteria. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

19. superficial: nearer the body surface. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

20. suturing: closing or approximating tissue edges with stitches or suture material. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

21. Applied teaching • V4D3-N01: Sepsis is not simply another name for a positive culture Sepsis involves life-threatening organ dysfunction arising from a dysregulated response to infection. It describes a Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

22. assessment: Table V4D3-N01-T1. Original educational comparison; numerical data are fictional where stated. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

23. targeted agent: drug designed to act on a specific molecular target, pathway, receptor, or cellular feature involved in disease. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

24. testicular fixation: surgical fixation of a testis to prevent torsion, commonly performed as orchiopexy. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

25. clot: thrombectomy in selected stroke care endovascular or surgical removal of an arterial blood clot in selected patients with acute ischemic stroke. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

26. thyroid: thyroid/o, thyr/o thyroid gland The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

27. tonometry: measurement of intraocular pressure. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

28. toxicology testing in selected contexts: laboratory testing for drugs, alcohols, toxins, or metabolites when exposure or poisoning is clinically relevant. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

29. transient ischemic attack: transient episode of neurologic dysfunction caused by focal ischemia without acute infarction on modern tissue-based definitions. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

30. tumor marker: measurable molecule produced by a tumor or host response that may assist in diagnosis, prognosis, treatment monitoring, or surveillance but is rarely diagnostic by itself. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

31. -uria: urine condition — hematuria ultrasonography A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

32. ur/o: urine/urinary tract ur/o, urin/o The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

33. urinary hesitancy: difficulty initiating the urinary stream. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

34. uterotonic: medication that stimulates uterine contraction, commonly used to prevent or treat postpartum hemorrhage or support obstetric management. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

35. vaginitis: inflammation of the vagina, commonly caused by infection, altered flora, hormonal changes, irritation, or other factors. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

36. venous: relating to a vein. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

37. viral: relating to viruses. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

38. visual-field testing: assessment of central and peripheral visual fields to detect defects from ocular, optic-nerve, or neurologic disease. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

39. weak urinary stream: reduced force or caliber of urine flow, commonly associated with bladder outlet obstruction or impaired bladder contraction. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

40. wound drainage: fluid or material leaving a wound, described by amount, color, odor, and character such as serous, sanguineous, serosanguineous, or purulent. A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

41. Master Medical Language Reference R–Z: Use these plates alongside the main text. Start by describing what the visual actually shows, then read the explanation, answer the question and compare your reasoning with the model The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

42. Quantity, unit, specimen: and timing are unclear. Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

43. Urinalysis combines three kinds of observation: ORIGINAL EDUCATIONAL DIAGRAM / COMPARISON Physical A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

44. organisms or artefacts: assessed under a controlled method. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

45. Specimen, site, method: and patient context determine the supported Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

46. Sources for the visual learning plates: These entries support the specified new plates. They do not certify every inherited statement, illustration or practice in the main text. Source organisations have not endorsed this book. New vector drawings are original A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

47. Visual atlas index and reading links: This index covers the added learning plates. It is not a replacement for a complete, evidence-audited subject index of the inherited textbook. All numbers refer to PDF pages. The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

48. Abnormal 8, 21, 24: Acute 18, 20 Anemia 6, 26 Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

49. Contamination 15, 34f: Context 9, 14, 16, 32f, 34f Culture 11, 15, 23, 27 A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

50. Normal 4, 12, 20, 26: Not documented 15 The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

51. Radius 4: Range-of-motion assessment 4 Rash 4 Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

52. Remission 5: Ren/o 5 Renal 5 A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

53. Reticulocyte count 6: Retin/o 6 Retinal detachment 6 The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

54. -rrhea 4: Rule out 6 Rupture of membranes 6 Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

55. -scopy 8: Screen 8 Screening 8 A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

56. Sensorineural hearing loss 9: Sepsis 9 Septic shock 9 The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

57. Skin scraping 10: Slit-lamp examination 10 Sodium 10 Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

58. Spir/o 11: Spirometry 11 Splen/o 11 A strong answer also preserves the relevant document context, timing, certainty, body system, or laterality rather than treating the definition as a diagnosis.

59. Sputum production 12: Squamous cell carcinoma 12 Stable 12 The term communicates this meaning but does not independently establish diagnosis, severity, treatment, causation, or scope of practice unless the source explicitly does so.

60. Strain 12: Stress 12 Stress testing 12 Patient-friendly language should use ordinary words, keep the same level of certainty, and avoid introducing conclusions that are absent from the source.

Pronunciation, Spelling and Verification Standard

Do not invent pronunciation. If the controlled entry does not provide a verified pronunciation, consult an approved clinical dictionary, institutional resource, or qualified instructor.

Accept legitimate variants. Pronunciation and spelling may vary by region and profession. Preserve the meaning and use the local authorized convention when documentation requires standardization.

Read abbreviations cautiously. An abbreviation can have more than one meaning. Verify it from the source context and local policy before expanding or reusing it.

Separate what was observed from what was inferred. Terminology accuracy strengthens documentation only when the underlying clinical statement is itself accurate and within scope.

Reference Retrieval Checklist

1. Confirm spelling before searching.
2. Search the full term, then search the root/combining form if needed.
3. Check nearby look-alike entries.
4. Read the whole definition, not only the first phrase.
5. Return to the original document and confirm that the definition fits the sentence.
6. Preserve certainty words such as possible, suspected, likely, confirmed, ruled out, history of, and resolved.
7. Verify pronunciation separately when it matters for spoken communication.
8. Use Volume 4D-4 for cross-reference, thesaurus, plain-language and association retrieval.

Completion Index - Learning Resources

RESOURCE	WHERE TO FIND IT
Word construction and morphology	Visual Learning Map 1
Meaning preservation	Visual Learning Map 2
Look-alike/contrast terms	High-Risk Contrast Table
Term retrieval practice	R-Z Term Retrieval
Clinical translation	Clinical Translation Laboratory
Question bank	Platinum Question Bank
Answer guidance	Model Answer Guidance
Pronunciation and verification	Pronunciation, Spelling and Verification Standard
Cross-volume retrieval	Reference Retrieval Checklist

End of coordinated Platinum completion resources for this reference volume.