CDIL PUBLISHING


EDUCATION • SKILLS • CAREERS • BETTER LIVES

Dialysis Technology I

Renal Physiology, Hemodialysis, Peritoneal Dialysis & Patient Care

DIALYSIS TECHNICIAN PROGRAM

CURRICULUM ALIGNMENT: DIA205 - DIA210 - DIA211 - DIA215



- FULL TEACHING NARRATIVE
- VISUALS & DIAGRAMS
- CLINICAL / PRACTICAL TRAINING
- CASES & COMPETENCIES
- GLOSSARY & FINAL INDEX

Knowledge Today. A Healthier Tomorrow.

Dialysis Technology I

Renal Physiology, Hemodialysis, Peritoneal Dialysis & Patient Care

FIRST PLATINUM TEACHING CANDIDATE

DIA205 | DIA210 | DIA211 | DIA215

PLATINUM TEACHING PRINCIPLE

CDIL textbooks use narrative explanation, strategically placed diagrams and pictures, clinical or practical training, case-based application, competency checks, assessments, glossary support, and a final page-referenced index. Visuals are placed beside or immediately after the narrative they reinforce so that students can connect words, actions, and systems.

C. DOUGLAS INSTITUTE OF LEARNING

Making Education Easier

How to Use This Textbook

Narrative first

Read the explanatory narrative before attempting skills. The book is designed so that understanding precedes performance.

Visual reinforcement

Use the diagrams, charts, and workflows placed directly after the related narrative. Redraw or explain them aloud to strengthen retrieval.

Practice and competency

Complete cases, knowledge checks, and skill checkpoints. Do not treat a correct answer as proof of competence unless you can also explain the reasoning.

CDIL WAY - STUDY POINT

Use this textbook to build reasoning, not just recall.

Scope, Safety and Supervision

Scope

This book is educational and institution-neutral. Local law, regulation, employer policy, validated device instructions, and the supervising licensed professional govern actual practice.

Safety

Never bypass identity checks, labeling, alarms, infection-control barriers, independent double checks, or escalation procedures because of time pressure.

Documentation

Document objective information accurately and promptly. Never invent, backdate, erase, or alter records outside approved correction procedures.

CDIL WAY - STUDY POINT

Use this textbook to build reasoning, not just recall.

The CDIL Platinum Learning Method

Know
Build accurate vocabulary and foundational knowledge.

Understand
Explain mechanisms, relationships, and cause-and-effect.

Apply
Use knowledge in calculations, workflows, skills, and cases.

Defend
Explain why the chosen action is safe, within scope, and supported by the available information.

CDIL WAY - STUDY POINT

Use this textbook to build reasoning, not just recall.

Curriculum Alignment

Program mapping

This textbook supports the Dialysis Technician curriculum and is aligned to DIA205 - DIA210 - DIA211 - DIA215.

Shared core

Where the 26-volume CDIL Health Sciences Professional Series already teaches foundational content, this book cross-references and applies that material rather than duplicating it without purpose.

Assessment architecture

Each chapter includes learning outcomes, applied narrative, visual learning, practical training, safety/quality troubleshooting, a case, a knowledge check, and a competency summary.

CDIL WAY - STUDY POINT

Use this textbook to build reasoning, not just recall.

Contents

01 The Dialysis Technician and Renal-Care Team 11

02 Kidney Anatomy and Function 21

03 The Nephron in Detail 31

04 Chronic Kidney Disease 41

05 Kidney Failure and Uremia 51

06 Fluid and Electrolyte Balance 61

07 Acid-Base Balance in Kidney Disease 71

Contents

08 Anemia and CKD-Mineral Bone Concepts 81

09 Principles of Dialysis 91

10 Hemodialysis System Overview 101

11 The Dialyzer 111

12 Water and Dialysate Foundations 121

13 Vascular Access Types 131

14 Infection Prevention in Dialysis 141

Contents

15 Pre-Treatment Patient Assessment 151

16 Understanding the Treatment Prescription 161

17 Hemodialysis Machine Setup 171

18 Initiating Hemodialysis 181

19 Monitoring During Hemodialysis 191

20 Terminating Hemodialysis 201

21 Common Hemodialysis Complications 211

Contents

22 Emergency Recognition in Dialysis 221

23 Peritoneal Dialysis Principles 231

24 Peritoneal Dialysis Exchange 241

25 Peritoneal Dialysis Complications 251

26 Patient Education, Nutrition and Psychosocial Support 261

CHAPTER 1

The Dialysis Technician and Renal-Care Team

Learning outcomes

- Explain the core concepts of the dialysis technician and renal-care team.
- Apply role and supervision to realistic program tasks.
- Recognize safety and quality concerns related to scope.
- Document and communicate findings involving patient safety and team communication.

KEY CONCEPTS

- Role
- Supervision
- Scope
- Patient Safety
- Team Communication

Why this chapter matters

Students use this chapter to connect role, supervision, and scope with safe, accurate, and professional practice.

The Dialysis Technician and Renal-Care Team - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **The Dialysis Technician and Renal-Care Team** is developed through the connected ideas of role, supervision, scope, patient safety, team communication. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study the dialysis technician and renal-care team is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of role, supervision, and scope form the operational core. The remaining concepts - patient safety and team communication - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect role to supervision before moving to the practical task.

The Dialysis Technician and Renal-Care Team - Mechanisms & Reasoning

How the process works

A useful way to study the dialysis technician and renal-care team is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of role, supervision, and scope form the operational core. The remaining concepts - patient safety and team communication - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

The Dialysis Technician and Renal-Care Team - Applied Practice

From concept to workflow

From concept to workflow. Translate the dialysis technician and renal-care team into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For role and supervision, ask what makes the result reliable. For scope, identify the most important safety controls. For patient safety and team communication, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

The Dialysis Technician and Renal-Care Team - Visual Learning Map


1 ROLE — 2 SUPERVISION — 3 SCOPE — 4 PATIENT SAFETY — 5 TEAM COMMUNICATION



HOW TO READ THIS VISUAL

1. Role: verify this step before moving forward.
2. Supervision: verify this step before moving forward.
3. Scope: verify this step before moving forward.
4. Patient safety: verify this step before moving forward.

Clinical / Practical Training - The Dialysis Technician and Renal-Care Team



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for role and supervision.
3. Perform the task using the approved sequence for scope; protect sterility, accuracy, and patient safety.
4. Observe for problems involving patient safety; stop and escalate when findings are outside scope or expected limits.
5. Complete team communication documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - The Dialysis Technician and Renal-Care Team

Potential problem	Why it matters	Safe response
Missing or conflicting role information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving supervision	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during scope	Can create contamination, calculation, or documentation	Return to the last verified step and restart as policy directs.
Problem with patient safety	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete team communication documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 1: The Dialysis Technician and Renal-Care Team

SCENARIO

During a routine task involving role and supervision, the technician notices that the expected information does not match what is seen in scope. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about patient safety. The technician must decide how to protect team communication while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 1 Knowledge Check

1 **Which action best supports safety when working with role?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving supervision is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is scope important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about patient safety is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good team communication practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 1 Summary & Competency Check

The Dialysis Technician and Renal-Care Team

Key takeaways

- Role must be linked to safety, quality, scope, and documentation.
- Supervision must be linked to safety, quality, scope, and documentation.
- Scope must be linked to safety, quality, scope, and documentation.
- Patient safety must be linked to safety, quality, scope, and documentation.
- Team communication must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 2

Kidney Anatomy and Function

Learning outcomes

- Explain the core concepts of kidney anatomy and function.
- Apply kidney structure and nephron to realistic program tasks.
- Recognize safety and quality concerns related to blood supply.
- Document and communicate findings involving urine formation and homeostasis.

KEY CONCEPTS

- Kidney Structure
- Nephron
- Blood Supply
- Urine Formation
- Homeostasis

Why this chapter matters

Students use this chapter to connect kidney structure, nephron, and blood supply with safe, accurate, and professional practice.

Kidney Anatomy and Function - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Kidney Anatomy and Function** is developed through the connected ideas of kidney structure, nephron, blood supply, urine formation, homeostasis. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study kidney anatomy and function is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of kidney structure, nephron, and blood supply form the operational core. The remaining concepts - urine formation and homeostasis - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect kidney structure to nephron before moving to the practical task.

Kidney Anatomy and Function - Mechanisms & Reasoning

How the process works

A useful way to study kidney anatomy and function is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of kidney structure, nephron, and blood supply form the operational core. The remaining concepts - urine formation and homeostasis - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Kidney Anatomy and Function - Applied Practice

From concept to workflow

From concept to workflow. Translate kidney anatomy and function into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For kidney structure and nephron, ask what makes the result reliable. For blood supply, identify the most important safety controls. For urine formation and homeostasis, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Kidney Anatomy and Function - Visual Learning Map


1 KIDNEY STRUCTURE — 2 NEPHRON — 3 BLOOD SUPPLY — 4 URINE FORMATION — 5 HOMEOSTASIS



HOW TO READ THIS VISUAL

1. Kidney structure: verify this step before moving forward.
2. Nephron: verify this step before moving forward.
3. Blood supply: verify this step before moving forward.
4. Urine formation: verify this step before moving forward.

Clinical / Practical Training - Kidney Anatomy and Function



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for kidney structure and nephron.
3. Perform the task using the approved sequence for blood supply; protect sterility, accuracy, and patient safety.
4. Observe for problems involving urine formation; stop and escalate when findings are outside scope or expected limits.
5. Complete homeostasis documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Kidney Anatomy and Function

Potential problem	Why it matters	Safe response
Missing or conflicting kidney structure information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving nephron	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during blood supply	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with urine formation	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete homeostasis documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 2: Kidney Anatomy and Function

SCENARIO

During a routine task involving kidney structure and nephron, the technician notices that the expected information does not match what is seen in blood supply. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about urine formation. The technician must decide how to protect homeostasis while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 2 Knowledge Check

1 **Which action best supports safety when working with kidney structure?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving nephron is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is blood supply important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about urine formation is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good homeostasis practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 2 Summary & Competency Check

Kidney Anatomy and Function

Key takeaways

- Kidney structure must be linked to safety, quality, scope, and documentation.
- Nephron must be linked to safety, quality, scope, and documentation.
- Blood supply must be linked to safety, quality, scope, and documentation.
- Urine formation must be linked to safety, quality, scope, and documentation.
- Homeostasis must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 3

The Nephron in Detail

Learning outcomes

- Explain the core concepts of the nephron in detail.
- Apply glomerulus and tubules to realistic program tasks.
- Recognize safety and quality concerns related to reabsorption.
- Document and communicate findings involving secretion and concentration.

KEY CONCEPTS

- Glomerulus
- Tubules
- Reabsorption
- Secretion
- Concentration

Why this chapter matters

Students use this chapter to connect glomerulus, tubules, and reabsorption with safe, accurate, and professional practice.

The Nephron in Detail - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **The Nephron in Detail** is developed through the connected ideas of glomerulus, tubules, reabsorption, secretion, concentration. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study the nephron in detail is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of glomerulus, tubules, and reabsorption form the operational core. The remaining concepts - secretion and concentration - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect glomerulus to tubules before moving to the practical task.

The Nephron in Detail - Mechanisms & Reasoning

How the process works

A useful way to study the nephron in detail is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of glomerulus, tubules, and reabsorption form the operational core. The remaining concepts - secretion and concentration - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

The Nephron in Detail - Applied Practice

From concept to workflow

From concept to workflow. Translate the nephron in detail into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For glomerulus and tubules, ask what makes the result reliable. For reabsorption, identify the most important safety controls. For secretion and concentration, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

The Nephron in Detail - Visual Learning Map






HOW TO READ THIS VISUAL

1. Glomerulus: verify this step before moving forward.
2. Tubules: verify this step before moving forward.
3. Reabsorption: verify this step before moving forward.
4. Secretion: verify this step before moving forward.

Clinical / Practical Training - The Nephron in Detail



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for glomerulus and tubules.
3. Perform the task using the approved sequence for reabsorption; protect sterility, accuracy, and patient safety.
4. Observe for problems involving secretion; stop and escalate when findings are outside scope or expected limits.
5. Complete concentration documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - The Nephron in Detail

Potential problem	Why it matters	Safe response
Missing or conflicting glomerulus information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving tubules	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during reabsorption	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with secretion	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete concentration documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 3: The Nephron in Detail

SCENARIO

During a routine task involving glomerulus and tubules, the technician notices that the expected information does not match what is seen in reabsorption. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about secretion. The technician must decide how to protect concentration while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 3 Knowledge Check

1 **Which action best supports safety when working with glomerulus?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving tubules is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is reabsorption important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about secretion is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good concentration practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 3 Summary & Competency Check

The Nephron in Detail

Key takeaways

- Glomerulus must be linked to safety, quality, scope, and documentation.
- Tubules must be linked to safety, quality, scope, and documentation.
- Reabsorption must be linked to safety, quality, scope, and documentation.
- Secretion must be linked to safety, quality, scope, and documentation.
- Concentration must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 4

Chronic Kidney Disease

Learning outcomes

- Explain the core concepts of chronic kidney disease.
- Apply causes and stages awareness to realistic program tasks.
- Recognize safety and quality concerns related to progression.
- Document and communicate findings involving symptoms and multidisciplinary care.

KEY CONCEPTS

- Causes
- Stages Awareness
- Progression
- Symptoms
- Multidisciplinary Care

Why this chapter matters

Students use this chapter to connect causes, stages awareness, and progression with safe, accurate, and professional practice.

Chronic Kidney Disease - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Chronic Kidney Disease** is developed through the connected ideas of causes, stages awareness, progression, symptoms, multidisciplinary care. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study chronic kidney disease is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of causes, stages awareness, and progression form the operational core. The remaining concepts - symptoms and multidisciplinary care - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect causes to stages awareness before moving to the practical task.

Chronic Kidney Disease - Mechanisms & Reasoning

How the process works

A useful way to study chronic kidney disease is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of causes, stages awareness, and progression form the operational core. The remaining concepts - symptoms and multidisciplinary care - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Chronic Kidney Disease - Applied Practice

From concept to workflow

From concept to workflow. Translate chronic kidney disease into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For causes and stages awareness, ask what makes the result reliable. For progression, identify the most important safety controls. For symptoms and multidisciplinary care, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Chronic Kidney Disease - Visual Learning Map


1 CAUSES — 2 STAGES AWARENESS — 3 PROGRESSION — 4 SYMPTOMS — 5 MULTIDISCIPLINARY CARE



HOW TO READ THIS VISUAL

1. Causes: verify this step before moving forward.
2. Stages awareness: verify this step before moving forward.
3. Progression: verify this step before moving forward.
4. Symptoms: verify this step before moving forward.

Clinical / Practical Training - Chronic Kidney Disease



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for causes and stages awareness.
3. Perform the task using the approved sequence for progression; protect sterility, accuracy, and patient safety.
4. Observe for problems involving symptoms; stop and escalate when findings are outside scope or expected limits.
5. Complete multidisciplinary care documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Chronic Kidney Disease

Potential problem	Why it matters	Safe response
Missing or conflicting causes information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving stages awarenessMa	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during progression	Can create contamination, calculation, or documentation error	Return to the last verified step and restart as policy directs.
Problem with symptoms	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete multidisciplinary care documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 4: Chronic Kidney Disease

SCENARIO

During a routine task involving causes and stages awareness, the technician notices that the expected information does not match what is seen in progression. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about symptoms. The technician must decide how to protect multidisciplinary care while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 4 Knowledge Check

1 **Which action best supports safety when working with causes?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving stages awareness is outside technician scope, the best next step is**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is progression important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about symptoms is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good multidisciplinary care practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 4 Summary & Competency Check

Chronic Kidney Disease

Key takeaways

- Causes must be linked to safety, quality, scope, and documentation.
- Stages awareness must be linked to safety, quality, scope, and documentation.
- Progression must be linked to safety, quality, scope, and documentation.
- Symptoms must be linked to safety, quality, scope, and documentation.
- Multidisciplinary care must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 5

Kidney Failure and Uremia

Learning outcomes

- Explain the core concepts of kidney failure and uremia.
- Apply loss of clearance and fluid overload to realistic program tasks.
- Recognize safety and quality concerns related to electrolytes.
- Document and communicate findings involving uremic symptoms and replacement therapy.

KEY CONCEPTS

- Loss Of Clearance
- Fluid Overload
- Electrolytes
- Uremic Symptoms
- Replacement Therapy

Why this chapter matters

Students use this chapter to connect loss of clearance, fluid overload, and electrolytes with safe, accurate, and professional practice.

Kidney Failure and Uremia - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Kidney Failure and Uremia** is developed through the connected ideas of loss of clearance, fluid overload, electrolytes, uremic symptoms, replacement therapy. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study kidney failure and uremia is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of loss of clearance, fluid overload, and electrolytes form the operational core. The remaining concepts - uremic symptoms and replacement therapy - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect loss of clearance to fluid overload before moving to the practical task.

Kidney Failure and Uremia - Mechanisms & Reasoning

How the process works

A useful way to study kidney failure and uremia is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of loss of clearance, fluid overload, and electrolytes form the operational core. The remaining concepts - uremic symptoms and replacement therapy - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Kidney Failure and Uremia - Applied Practice

From concept to workflow

From concept to workflow. Translate kidney failure and uremia into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For loss of clearance and fluid overload, ask what makes the result reliable. For electrolytes, identify the most important safety controls. For uremic symptoms and replacement therapy, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Kidney Failure and Uremia - Visual Learning Map


1 LOSS OF CLEARANCE — 2 FLUID OVERLOAD — 3 ELECTROLYTES — 4 UREMIC SYMPTOMS — 5 REPLACEMENT THERAPY



HOW TO READ THIS VISUAL

1. Loss of clearance: verify this step before moving forward.
2. Fluid overload: verify this step before moving forward.
3. Electrolytes: verify this step before moving forward.
4. Uremic symptoms: verify this step before moving forward.

Clinical / Practical Training - Kidney Failure and Uremia



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for loss of clearance and fluid overload.
3. Perform the task using the approved sequence for electrolytes; protect sterility, accuracy, and patient safety.
4. Observe for problems involving uremic symptoms; stop and escalate when findings are outside scope or expected limits.
5. Complete replacement therapy documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Kidney Failure and Uremia

Potential problem	Why it matters	Safe response
Missing or conflicting loss of clearance information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving fluid overload	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during electrolytes	Can create contamination, calculation, or documentation	Return to the last verified step and restart as policy directs.
Problem with uremic symptoms	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete replacement therapy documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 5: Kidney Failure and Uremia

SCENARIO

During a routine task involving loss of clearance and fluid overload, the technician notices that the expected information does not match what is seen in electrolytes. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about uremic symptoms. The technician must decide how to protect replacement therapy while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 5 Knowledge Check

1 **Which action best supports safety when working with loss of clearance?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving fluid overload is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is electrolytes important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about uremic symptoms is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good replacement therapy practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 5 Summary & Competency Check

Kidney Failure and Uremia

Key takeaways

- Loss of clearance must be linked to safety, quality, scope, and documentation.
- Fluid overload must be linked to safety, quality, scope, and documentation.
- Electrolytes must be linked to safety, quality, scope, and documentation.
- Uremic symptoms must be linked to safety, quality, scope, and documentation.
- Replacement therapy must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 6

Fluid and Electrolyte Balance

Learning outcomes

- Explain the core concepts of fluid and electrolyte balance.
- Apply sodium and potassium to realistic program tasks.
- Recognize safety and quality concerns related to water.
- Document and communicate findings involving edema and weight.

KEY CONCEPTS

- Sodium
- Potassium
- Water
- Edema
- Weight

Why this chapter matters

Students use this chapter to connect sodium, potassium, and water with safe, accurate, and professional practice.

Fluid and Electrolyte Balance - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Fluid and Electrolyte Balance** is developed through the connected ideas of sodium, potassium, water, edema, weight. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study fluid and electrolyte balance is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of sodium, potassium, and water form the operational core. The remaining concepts - edema and weight - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect sodium to potassium before moving to the practical task.

Fluid and Electrolyte Balance - Mechanisms & Reasoning

How the process works

A useful way to study fluid and electrolyte balance is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of sodium, potassium, and water form the operational core. The remaining concepts - edema and weight - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Fluid and Electrolyte Balance - Applied Practice

From concept to workflow

From concept to workflow. Translate fluid and electrolyte balance into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For sodium and potassium, ask what makes the result reliable. For water, identify the most important safety controls. For edema and weight, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Fluid and Electrolyte Balance - Visual Learning Map






HOW TO READ THIS VISUAL

1. Sodium: verify this step before moving forward.
2. Potassium: verify this step before moving forward.
3. Water: verify this step before moving forward.
4. Edema: verify this step before moving forward.

Clinical / Practical Training - Fluid and Electrolyte Balance



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for sodium and potassium.
3. Perform the task using the approved sequence for water; protect sterility, accuracy, and patient safety.
4. Observe for problems involving edema; stop and escalate when findings are outside scope or expected limits.
5. Complete weight documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Fluid and Electrolyte Balance

Potential problem	Why it matters	Safe response
Missing or conflicting sodium information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving potassium	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during water	Can create contamination, calculation, or documentation error	Return to the last verified step and restart as policy directs.
Problem with edema	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete weight documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 6: Fluid and Electrolyte Balance

SCENARIO

During a routine task involving sodium and potassium, the technician notices that the expected information does not match what is seen in water. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about edema. The technician must decide how to protect weight while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 6 Knowledge Check

1 **Which action best supports safety when working with sodium?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving potassium is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is water important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about edema is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good weight practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 6 Summary & Competency Check

Fluid and Electrolyte Balance

Key takeaways

- Sodium must be linked to safety, quality, scope, and documentation.
- Potassium must be linked to safety, quality, scope, and documentation.
- Water must be linked to safety, quality, scope, and documentation.
- Edema must be linked to safety, quality, scope, and documentation.
- Weight must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 7

Acid-Base Balance in Kidney Disease

Learning outcomes

- Explain the core concepts of acid-base balance in kidney disease.
- Apply bicarbonate and hydrogen ions to realistic program tasks.
- Recognize safety and quality concerns related to metabolic acidosis.
- Document and communicate findings involving monitoring and dialysis role.

KEY CONCEPTS

- Bicarbonate
- Hydrogen Ions
- Metabolic Acidosis
- Monitoring
- Dialysis Role

Why this chapter matters

Students use this chapter to connect bicarbonate, hydrogen ions, and metabolic acidosis with safe, accurate, and professional practice.

Acid-Base Balance in Kidney Disease - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Acid-Base Balance in Kidney Disease** is developed through the connected ideas of bicarbonate, hydrogen ions, metabolic acidosis, monitoring, dialysis role. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study acid-base balance in kidney disease is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of bicarbonate, hydrogen ions, and metabolic acidosis form the operational core. The remaining concepts - monitoring and dialysis role - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect bicarbonate to hydrogen ions before moving to the practical task.

Acid-Base Balance in Kidney Disease - Mechanisms & Reasoning

How the process works

A useful way to study acid-base balance in kidney disease is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of bicarbonate, hydrogen ions, and metabolic acidosis form the operational core. The remaining concepts - monitoring and dialysis role - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Acid-Base Balance in Kidney Disease - Applied Practice

From concept to workflow

From concept to workflow. Translate acid-base balance in kidney disease into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For bicarbonate and hydrogen ions, ask what makes the result reliable. For metabolic acidosis, identify the most important safety controls. For monitoring and dialysis role, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Acid-Base Balance in Kidney Disease - Visual Learning Map


1 BICARBONATE — 2 HYDROGEN IONS — 3 METABOLIC ACIDOSIS — 4 MONITORING — 5 DIALYSIS ROLE



HOW TO READ THIS VISUAL

1. Bicarbonate: verify this step before moving forward.
2. Hydrogen ions: verify this step before moving forward.
3. Metabolic acidosis: verify this step before moving forward.
4. Monitoring: verify this step before moving forward.

Clinical / Practical Training - Acid-Base Balance in Kidney Disease



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for bicarbonate and hydrogen ions.
3. Perform the task using the approved sequence for metabolic acidosis; protect sterility, accuracy, and patient safety.
4. Observe for problems involving monitoring; stop and escalate when findings are outside scope or expected limits.
5. Complete dialysis role documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Acid-Base Balance in Kidney Disease

Potential problem	Why it matters	Safe response
Missing or conflicting bicarbonate information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving hydrogen ions	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during metabolic acidosis	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with monitoring	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete dialysis role documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 7: Acid-Base Balance in Kidney Disease

SCENARIO

During a routine task involving bicarbonate and hydrogen ions, the technician notices that the expected information does not match what is seen in metabolic acidosis. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about monitoring. The technician must decide how to protect dialysis role while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 7 Knowledge Check

1 **Which action best supports safety when working with bicarbonate?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving hydrogen ions is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is metabolic acidosis important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about monitoring is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good dialysis role practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 7 Summary & Competency Check

Acid-Base Balance in Kidney Disease

Key takeaways

- Bicarbonate must be linked to safety, quality, scope, and documentation.
- Hydrogen ions must be linked to safety, quality, scope, and documentation.
- Metabolic acidosis must be linked to safety, quality, scope, and documentation.
- Monitoring must be linked to safety, quality, scope, and documentation.
- Dialysis role must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 8

Anemia and CKD-Mineral Bone Concepts

Learning outcomes

- Explain the core concepts of anemia and ckd-mineral bone concepts.
- Apply erythropoietin and iron to realistic program tasks.
- Recognize safety and quality concerns related to phosphate.
- Document and communicate findings involving calcium and vitamin D.

KEY CONCEPTS

- Erythropoietin
- Iron
- Phosphate
- Calcium
- Vitamin D

Why this chapter matters

Students use this chapter to connect erythropoietin, iron, and phosphate with safe, accurate, and professional practice.

Anemia and CKD-Mineral Bone Concepts - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Anemia and CKD-Mineral Bone Concepts** is developed through the connected ideas of erythropoietin, iron, phosphate, calcium, vitamin D. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study anemia and ckd-mineral bone concepts is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of erythropoietin, iron, and phosphate form the operational core. The remaining concepts - calcium and vitamin D - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect erythropoietin to iron before moving to the practical task.

Anemia and CKD-Mineral Bone Concepts - Mechanisms & Reasoning

How the process works

A useful way to study anemia and ckd-mineral bone concepts is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of erythropoietin, iron, and phosphate form the operational core. The remaining concepts - calcium and vitamin D - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Anemia and CKD-Mineral Bone Concepts - Applied Practice

From concept to workflow

From concept to workflow. Translate anemia and ckd-mineral bone concepts into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For erythropoietin and iron, ask what makes the result reliable. For phosphate, identify the most important safety controls. For calcium and vitamin D, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Anemia and CKD-Mineral Bone Concepts - Visual Learning Map






HOW TO READ THIS VISUAL

1. Erythropoietin: verify this step before moving forward.
2. Iron: verify this step before moving forward.
3. Phosphate: verify this step before moving forward.
4. Calcium: verify this step before moving forward.

Clinical / Practical Training - Anemia and CKD-Mineral Bone Concepts



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for erythropoietin and iron.
3. Perform the task using the approved sequence for phosphate; protect sterility, accuracy, and patient safety.
4. Observe for problems involving calcium; stop and escalate when findings are outside scope or expected limits.
5. Complete vitamin D documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Anemia and CKD-Mineral Bone Concepts

Potential problem	Why it matters	Safe response
Missing or conflicting erythropoietin information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving iron	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during phosphate	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with calcium	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete vitamin D documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 8: Anemia and CKD-Mineral Bone Concepts

SCENARIO

During a routine task involving erythropoietin and iron, the technician notices that the expected information does not match what is seen in phosphate. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about calcium. The technician must decide how to protect vitamin D while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 8 Knowledge Check

1 **Which action best supports safety when working with erythropoietin?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving iron is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is phosphate important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about calcium is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good vitamin D practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 8 Summary & Competency Check

Anemia and CKD-Mineral Bone Concepts

Key takeaways

- Erythropoietin must be linked to safety, quality, scope, and documentation.
- Iron must be linked to safety, quality, scope, and documentation.
- Phosphate must be linked to safety, quality, scope, and documentation.
- Calcium must be linked to safety, quality, scope, and documentation.
- Vitamin d must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 9

Principles of Dialysis

Learning outcomes

- Explain the core concepts of principles of dialysis.
- Apply diffusion and osmosis to realistic program tasks.
- Recognize safety and quality concerns related to ultrafiltration.
- Document and communicate findings involving convection awareness and concentration gradients.

KEY CONCEPTS

- Diffusion
- Osmosis
- Ultrafiltration
- Convection Awareness
- Concentration Gradients

Why this chapter matters

Students use this chapter to connect diffusion, osmosis, and ultrafiltration with safe, accurate, and professional practice.

Principles of Dialysis - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Principles of Dialysis** is developed through the connected ideas of diffusion, osmosis, ultrafiltration, convection awareness, concentration gradients. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study principles of dialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of diffusion, osmosis, and ultrafiltration form the operational core. The remaining concepts - convection awareness and concentration gradients - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect diffusion to osmosis before moving to the practical task.

Principles of Dialysis - Mechanisms & Reasoning

How the process works

A useful way to study principles of dialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of diffusion, osmosis, and ultrafiltration form the operational core. The remaining concepts - convection awareness and concentration gradients - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Principles of Dialysis - Applied Practice

From concept to workflow

From concept to workflow. Translate principles of dialysis into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For diffusion and osmosis, ask what makes the result reliable. For ultrafiltration, identify the most important safety controls. For convection awareness and concentration gradients, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Principles of Dialysis - Visual Learning Map


1 DIFFUSION — 2 OSMOSIS — 3 ULTRAFILTRATION — 4 CONVECTION AWARENESS — 5 CONCENTRATION GRADIENTS



HOW TO READ THIS VISUAL

1. Diffusion: verify this step before moving forward.
2. Osmosis: verify this step before moving forward.
3. Ultrafiltration: verify this step before moving forward.
4. Convection awareness: verify this step before moving forward.

Clinical / Practical Training - Principles of Dialysis



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for diffusion and osmosis.
3. Perform the task using the approved sequence for ultrafiltration; protect sterility, accuracy, and patient safety.
4. Observe for problems involving convection awareness; stop and escalate when findings are outside scope or expected limits.
5. Complete concentration gradients documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Principles of Dialysis

Potential problem	Why it matters	Safe response
Missing or conflicting diffusion information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving osmosis	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during ultrafiltration	Can create contamination, calculation, or documentation	Return to the last verified step and restart as policy directs.
Problem with convection awareness	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete concentration gradients documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 9: Principles of Dialysis

SCENARIO

During a routine task involving diffusion and osmosis, the technician notices that the expected information does not match what is seen in ultrafiltration. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about convection awareness. The technician must decide how to protect concentration gradients while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 9 Knowledge Check

1 **Which action best supports safety when working with diffusion?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving osmosis is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is ultrafiltration important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about convection awareness is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good concentration gradients practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 9 Summary & Competency Check

Principles of Dialysis

Key takeaways

- Diffusion must be linked to safety, quality, scope, and documentation.
- Osmosis must be linked to safety, quality, scope, and documentation.
- Ultrafiltration must be linked to safety, quality, scope, and documentation.
- Convection awareness must be linked to safety, quality, scope, and documentation.
- Concentration gradients must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 10

Hemodialysis System Overview

Learning outcomes

- Explain the core concepts of hemodialysis system overview.
- Apply machine and dialyzer to realistic program tasks.
- Recognize safety and quality concerns related to blood circuit.
- Document and communicate findings involving dialysate circuit and safety systems.

KEY CONCEPTS

- Machine
- Dialyzer
- Blood Circuit
- Dialysate Circuit
- Safety Systems

Why this chapter matters

Students use this chapter to connect machine, dialyzer, and blood circuit with safe, accurate, and professional practice.

Hemodialysis System Overview - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Hemodialysis System Overview** is developed through the connected ideas of machine, dialyzer, blood circuit, dialysate circuit, safety systems. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study hemodialysis system overview is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of machine, dialyzer, and blood circuit form the operational core. The remaining concepts - dialysate circuit and safety systems - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect machine to dialyzer before moving to the practical task.

Hemodialysis System Overview - Mechanisms & Reasoning

How the process works

A useful way to study hemodialysis system overview is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of machine, dialyzer, and blood circuit form the operational core. The remaining concepts - dialysate circuit and safety systems - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Hemodialysis System Overview - Applied Practice

From concept to workflow

From concept to workflow. Translate hemodialysis system overview into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For machine and dialyzer, ask what makes the result reliable. For blood circuit, identify the most important safety controls. For dialysate circuit and safety systems, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Hemodialysis System Overview - Visual Learning Map


1 MACHINE — 2 DIALYZER — 3 BLOOD CIRCUIT — 4 DIALYSATE CIRCUIT — 5 SAFETY SYSTEMS



HOW TO READ THIS VISUAL

1. Machine: verify this step before moving forward.
2. Dialyzer: verify this step before moving forward.
3. Blood circuit: verify this step before moving forward.
4. Dialysate circuit: verify this step before moving forward.

Clinical / Practical Training - Hemodialysis System Overview



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for machine and dialyzer.
3. Perform the task using the approved sequence for blood circuit; protect sterility, accuracy, and patient safety.
4. Observe for problems involving dialysate circuit; stop and escalate when findings are outside scope or expected limits.
5. Complete safety systems documentation, communicate handoff information, and leave the work area safe.


SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Hemodialysis Circuit, Machine Setup, and Patient Monitoring

People. Process. Possibility.
DIALYSIS CARE MAKES A DIFFERENCE.

Safe · Care · Clear Monitoring · Monitoring · Better Lives



Step-by-Step: Safe and Effective Care

1 Pre-Treatment Checks

Prepare for a safe start.

- [x] Verify provider orders (time, BFR, DFR, dialysate, UF goal).
- [x] Inspect and prime the machine and blood circuit (remove air).
- [ ] Check water treatment system and dialysate conductivity/temperature.
- [ ] Inspect dialyzer and expiration date.
- [ ] Assess vascular access (bruit/thrill, patency, no signs of infection).
- [ ] Obtain baseline vital signs and weight.
- [ ] Explain the procedure and address patient questions.

2 During Treatment Monitoring

Observe, assess, and respond.

- [ ] Monitor vital signs (BP, HR, RR, temperature).
- [ ] Watch arterial and venous pressures, TMP, and UF rate (trend for changes).
- [ ] Assess patient status (symptoms: cramping, hypotension, nausea, headache, chest discomfort).
- [ ] Check access site and circuit for signs of bleeding, infiltration, or clotting.
- [ ] Ensure dialysate parameters (conductivity, temperature, flow) are in range.
- [ ] Respond promptly to alarms and changes in condition.
- [ ] Provide comfort, support, and ongoing education.

3 Post-Treatment Care

Finish safely and support next steps.

- [ ] Return blood to the patient.
- [ ] Remove needles/catheters and achieve hemostasis (AVG/AVF).
- [ ] Assess access site and apply appropriate dressing.
- [ ] Obtain post-treatment vital signs and weight.
- [ ] Document treatment data, patient response, and any issues.
- [ ] Clean and disinfect the machine and work area.
- [ ] Reinforce education (fluid, diet, medications, access care).
- [ ] Communicate with the healthcare team about concerns or changes.

Know Your Patient

Monitor the whole person — not just the numbers.

- Look for signs of disequilibrium, hypotension, cramps, nausea, headache, or chest pain.
- Observe for access problems and signs of infection.
- Listen to the patient — they often tell you first.
- Report changes and seek help when needed.

Compassion in Action. Healthier Tomorrows.

Key Monitor Points (Typical Ranges)

Parameter	Typical Range	What It Tells Us
Blood Flow Rate (Qb)	300–400 mL/min	Adequate blood flow through circuit
Dialysate Flow Rate (Qd)	500–800 mL/min	Efficient waste removal
Arterial Pressure (Pa)	–50 to –250 mmHg	Access function / line patency
Venous Pressure (Pv)	100–300 mmHg	Return pressure / possible clotting if high
Transmembrane Pressure (TMP)	50–250 mmHg	Fluid removal across the dialyzer
Ultrafiltration (UF) Rate	100–1000 mL/hr	Rate of fluid removal
Dialysate Conductivity	13.0–15.0 mS/cm	Correct dialysate concentration
Dialysate Temperature	36–37.5 °C	Patient comfort and safety

Flow Path Summary

1. **Blood leaves the patient** via the arterial line.
2. Blood is pumped through the dialyzer, where waste and excess fluid are removed.
3. Dialysate flows countercurrent to blood, picking up waste products.
4. Cleaned blood returns to the patient via the venous line.

Cleaner Blood. Brighter Tomorrows.

Common Alarms and Actions

Alarm	Possible Cause	Action
High Arterial Pressure	Access issue, kink, clot, low blood flow	Assess access, check lines, reverse/flush as ordered.
Low Arterial Pressure	Disconnection, low BP, access problem	Check for leaks, assess patient, correct cause.
High Venous Pressure	Clotting, kink, restricted outflow	Check circuit, assess dialyzer and lines.
High TMP	Clogged dialyzer, ultrafiltration issue	Assess for clotting, check UF rate, consider new dialyzer.
Conductivity Alarm	Dialysate concentrate problem	Check system, verify concentrate, follow protocol.
Temperature Alarm	Dialysate too hot/cold	Verify machine settings, allow to normalize.

Safety, Quality & Troubleshooting - Hemodialysis System Overview

Potential problem	Why it matters	Safe response
Missing or conflicting machine information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving dialyzer	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during blood circuit	Can create contamination, calculation, or documentation error	Return to the last verified step and restart as policy directs.
Problem with dialysate circuit	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete safety systems documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 10: Hemodialysis System Overview

SCENARIO

During a routine task involving machine and dialyzer, the technician notices that the expected information does not match what is seen in blood circuit. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about dialysate circuit. The technician must decide how to protect safety systems while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 10 Knowledge Check

1 **Which action best supports safety when working with machine?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving dialyzer is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is blood circuit important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about dialysate circuit is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good safety systems practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 10 Summary & Competency Check

Hemodialysis System Overview

Key takeaways

- Machine must be linked to safety, quality, scope, and documentation.
- Dialyzer must be linked to safety, quality, scope, and documentation.
- Blood circuit must be linked to safety, quality, scope, and documentation.
- Dialysate circuit must be linked to safety, quality, scope, and documentation.
- Safety systems must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 11

The Dialyzer

Learning outcomes

- Explain the core concepts of the dialyzer.
- Apply membrane and surface area to realistic program tasks.
- Recognize safety and quality concerns related to blood compartment.
- Document and communicate findings involving dialysate compartment and clearance.

KEY CONCEPTS

- Membrane
- Surface Area
- Blood Compartment
- Dialysate Compartment
- Clearance

Why this chapter matters

Students use this chapter to connect membrane, surface area, and blood compartment with safe, accurate, and professional practice.

The Dialyzer - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **The Dialyzer** is developed through the connected ideas of membrane, surface area, blood compartment, dialysate compartment, clearance. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study the dialyzer is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of membrane, surface area, and blood compartment form the operational core. The remaining concepts - dialysate compartment and clearance - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect membrane to surface area before moving to the practical task.

The Dialyzer - Mechanisms & Reasoning

How the process works

A useful way to study the dialyzer is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of membrane, surface area, and blood compartment form the operational core. The remaining concepts - dialysate compartment and clearance - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

The Dialyzer - Applied Practice

From concept to workflow

From concept to workflow. Translate the dialyzer into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For membrane and surface area, ask what makes the result reliable. For blood compartment, identify the most important safety controls. For dialysate compartment and clearance, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

The Dialyzer - Visual Learning Map


1 MEMBRANE — 2 SURFACE AREA — 3 BLOOD COMPARTMENT — 4 DIALYSATE COMPARTMENT — 5 CLEARANCE



HOW TO READ THIS VISUAL

1. Membrane: verify this step before moving forward.
2. Surface area: verify this step before moving forward.
3. Blood compartment: verify this step before moving forward.
4. Dialysate compartment: verify this step before moving forward.

Clinical / Practical Training - The Dialyzer



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for membrane and surface area.
3. Perform the task using the approved sequence for blood compartment; protect sterility, accuracy, and patient safety.
4. Observe for problems involving dialysate compartment; stop and escalate when findings are outside scope or expected limits.
5. Complete clearance documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - The Dialyzer

Potential problem	Why it matters	Safe response
Missing or conflicting membrane information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving surface area	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during blood compartment	Can create contamination, calculation, or documentation error	Return to the last verified step and restart as policy directs.
Problem with dialysate compartment	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete clearance documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 11: The Dialyzer

SCENARIO

During a routine task involving membrane and surface area, the technician notices that the expected information does not match what is seen in blood compartment. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about dialysate compartment. The technician must decide how to protect clearance while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 11 Knowledge Check

1 **Which action best supports safety when working with membrane?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving surface area is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is blood compartment important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about dialysate compartment is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good clearance practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 11 Summary & Competency Check

The Dialyzer

Key takeaways

- Membrane must be linked to safety, quality, scope, and documentation.
- Surface area must be linked to safety, quality, scope, and documentation.
- Blood compartment must be linked to safety, quality, scope, and documentation.
- Dialysate compartment must be linked to safety, quality, scope, and documentation.
- Clearance must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 12

Water and Dialysate Foundations

Learning outcomes

- Explain the core concepts of water and dialysate foundations.
- Apply water treatment and dialysate to realistic program tasks.
- Recognize safety and quality concerns related to conductivity.
- Document and communicate findings involving temperature and safety.

KEY CONCEPTS

- Water Treatment
- Dialysate
- Conductivity
- Temperature
- Safety

Why this chapter matters

Students use this chapter to connect water treatment, dialysate, and conductivity with safe, accurate, and professional practice.

Water and Dialysate Foundations - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Water and Dialysate Foundations** is developed through the connected ideas of water treatment, dialysate, conductivity, temperature, safety. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study water and dialysate foundations is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of water treatment, dialysate, and conductivity form the operational core. The remaining concepts - temperature and safety - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect water treatment to dialysate before moving to the practical task.

Water and Dialysate Foundations - Mechanisms & Reasoning

How the process works

A useful way to study water and dialysate foundations is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of water treatment, dialysate, and conductivity form the operational core. The remaining concepts - temperature and safety - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Water and Dialysate Foundations - Applied Practice

From concept to workflow

From concept to workflow. Translate water and dialysate foundations into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For water treatment and dialysate, ask what makes the result reliable. For conductivity, identify the most important safety controls. For temperature and safety, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Water and Dialysate Foundations - Visual Learning Map


1 WATER TREATMENT — 2 DIALYSATE — 3 CONDUCTIVITY — 4 TEMPERATURE — 5 SAFETY



HOW TO READ THIS VISUAL

1. Water treatment: verify this step before moving forward.
2. Dialysate: verify this step before moving forward.
3. Conductivity: verify this step before moving forward.
4. Temperature: verify this step before moving forward.

Clinical / Practical Training - Water and Dialysate Foundations



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for water treatment and dialysate.
3. Perform the task using the approved sequence for conductivity; protect sterility, accuracy, and patient safety.
4. Observe for problems involving temperature; stop and escalate when findings are outside scope or expected limits.
5. Complete safety documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Water and Dialysate Foundations

Potential problem	Why it matters	Safe response
Missing or conflicting water treatment information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving dialysate	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during conductivity	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with temperature	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete safety documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 12: Water and Dialysate Foundations

SCENARIO

During a routine task involving water treatment and dialysate, the technician notices that the expected information does not match what is seen in conductivity. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about temperature. The technician must decide how to protect safety while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 12 Knowledge Check

1 **Which action best supports safety when working with water treatment?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving dialysate is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is conductivity important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about temperature is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good safety practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 12 Summary & Competency Check

Water and Dialysate Foundations

Key takeaways

- Water treatment must be linked to safety, quality, scope, and documentation.
- Dialysate must be linked to safety, quality, scope, and documentation.
- Conductivity must be linked to safety, quality, scope, and documentation.
- Temperature must be linked to safety, quality, scope, and documentation.
- Safety must be linked to safety, quality, scope, and documentation.

Competency self-check

- ☐ I can explain the concept in my own words.
- ☐ I can follow the standard workflow without skipping verification steps.
- ☐ I can identify at least three common failure points.
- ☐ I know what findings require escalation.
- ☐ I can document the task accurately and objectively.
- ☐ I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 13

Vascular Access Types

Learning outcomes

- Explain the core concepts of vascular access types.
- Apply AV fistula and AV graft to realistic program tasks.
- Recognize safety and quality concerns related to catheter.
- Document and communicate findings involving access protection and observation.

KEY CONCEPTS

- Av Fistula
- Av Graft
- Catheter
- Access Protection
- Observation

Why this chapter matters

Students use this chapter to connect AV fistula, AV graft, and catheter with safe, accurate, and professional practice.

Vascular Access Types - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Vascular Access Types** is developed through the connected ideas of AV fistula, AV graft, catheter, access protection, observation. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study vascular access types is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of AV fistula, AV graft, and catheter form the operational core. The remaining concepts - access protection and observation - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect AV fistula to AV graft before moving to the practical task.

Vascular Access Types - Mechanisms & Reasoning

How the process works

A useful way to study vascular access types is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of AV fistula, AV graft, and catheter form the operational core. The remaining concepts - access protection and observation - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Vascular Access Types - Applied Practice

From concept to workflow

From concept to workflow. Translate vascular access types into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For AV fistula and AV graft, ask what makes the result reliable. For catheter, identify the most important safety controls. For access protection and observation, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Vascular Access Types - Visual Learning Map






HOW TO READ THIS VISUAL

1. Av fistula: verify this step before moving forward.
2. Av graft: verify this step before moving forward.
3. Catheter: verify this step before moving forward.
4. Access protection: verify this step before moving forward.

Clinical / Practical Training - Vascular Access Types



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for AV fistula and AV graft.
3. Perform the task using the approved sequence for catheter; protect sterility, accuracy, and patient safety.
4. Observe for problems involving access protection; stop and escalate when findings are outside scope or expected limits.
5. Complete observation documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Vascular Access Types

Potential problem	Why it matters	Safe response
Missing or conflicting AV fistula information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving AV graft	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during catheter	Can create contamination, calculation, or documentation error	Return to the last verified step and restart as policy directs.
Problem with access protection	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete observation documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 13: Vascular Access Types

SCENARIO

During a routine task involving AV fistula and AV graft, the technician notices that the expected information does not match what is seen in catheter. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about access protection. The technician must decide how to protect observation while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 13 Knowledge Check

1 **Which action best supports safety when working with AV fistula?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving AV graft is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is catheter important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about access protection is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good observation practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 13 Summary & Competency Check

Vascular Access Types

Key takeaways

- Av fistula must be linked to safety, quality, scope, and documentation.
- Av graft must be linked to safety, quality, scope, and documentation.
- Catheter must be linked to safety, quality, scope, and documentation.
- Access protection must be linked to safety, quality, scope, and documentation.
- Observation must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 14

Infection Prevention in Dialysis

Learning outcomes

- Explain the core concepts of infection prevention in dialysis.
- Apply hand hygiene and PPE to realistic program tasks.
- Recognize safety and quality concerns related to station cleaning.
- Document and communicate findings involving access care and bloodborne pathogens.

KEY CONCEPTS

- Hand Hygiene
- Ppe
- Station Cleaning
- Access Care
- Bloodborne Pathogens

Why this chapter matters

Students use this chapter to connect hand hygiene, PPE, and station cleaning with safe, accurate, and professional practice.

Infection Prevention in Dialysis - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Infection Prevention in Dialysis** is developed through the connected ideas of hand hygiene, PPE, station cleaning, access care, bloodborne pathogens. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study infection prevention in dialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of hand hygiene, PPE, and station cleaning form the operational core. The remaining concepts - access care and bloodborne pathogens - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect hand hygiene to PPE before moving to the practical task.

Infection Prevention in Dialysis - Mechanisms & Reasoning

How the process works

A useful way to study infection prevention in dialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of hand hygiene, PPE, and station cleaning form the operational core. The remaining concepts - access care and bloodborne pathogens - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Infection Prevention in Dialysis - Applied Practice

From concept to workflow

From concept to workflow. Translate infection prevention in dialysis into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For hand hygiene and PPE, ask what makes the result reliable. For station cleaning, identify the most important safety controls. For access care and bloodborne pathogens, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Infection Prevention in Dialysis - Visual Learning Map






HOW TO READ THIS VISUAL

1. Hand hygiene: verify this step before moving forward.
2. Ppe: verify this step before moving forward.
3. Station cleaning: verify this step before moving forward.
4. Access care: verify this step before moving forward.

Clinical / Practical Training - Infection Prevention in Dialysis



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for hand hygiene and PPE.
3. Perform the task using the approved sequence for station cleaning; protect sterility, accuracy, and patient safety.
4. Observe for problems involving access care; stop and escalate when findings are outside scope or expected limits.
5. Complete bloodborne pathogens documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Infection Prevention in Dialysis

Potential problem	Why it matters	Safe response
Missing or conflicting hand hygiene information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving PPE	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during station cleaning	Can create contamination, calculation, or documentation error	Return to the last verified step and restart as policy directs.
Problem with access care	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete bloodborne pathogens documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 14: Infection Prevention in Dialysis

SCENARIO

During a routine task involving hand hygiene and PPE, the technician notices that the expected information does not match what is seen in station cleaning. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about access care. The technician must decide how to protect bloodborne pathogens while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 14 Knowledge Check

1 **Which action best supports safety when working with hand hygiene?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving PPE is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is station cleaning important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about access care is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good bloodborne pathogens practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 14 Summary & Competency Check

Infection Prevention in Dialysis

Key takeaways

- Hand hygiene must be linked to safety, quality, scope, and documentation.
- Ppe must be linked to safety, quality, scope, and documentation.
- Station cleaning must be linked to safety, quality, scope, and documentation.
- Access care must be linked to safety, quality, scope, and documentation.
- Bloodborne pathogens must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 15

Pre-Treatment Patient Assessment

Learning outcomes

- Explain the core concepts of pre-treatment patient assessment.
- Apply identity and weight to realistic program tasks.
- Recognize safety and quality concerns related to vital signs.
- Document and communicate findings involving access check and baseline symptoms.

KEY CONCEPTS

- Identity
- Weight
- Vital Signs
- Access Check
- Baseline Symptoms

Why this chapter matters

Students use this chapter to connect identity, weight, and vital signs with safe, accurate, and professional practice.

Pre-Treatment Patient Assessment - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Pre-Treatment Patient Assessment** is developed through the connected ideas of identity, weight, vital signs, access check, baseline symptoms. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study pre-treatment patient assessment is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of identity, weight, and vital signs form the operational core. The remaining concepts - access check and baseline symptoms - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect identity to weight before moving to the practical task.

Pre-Treatment Patient Assessment - Mechanisms & Reasoning

How the process works

A useful way to study pre-treatment patient assessment is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of identity, weight, and vital signs form the operational core. The remaining concepts - access check and baseline symptoms - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Pre-Treatment Patient Assessment - Applied Practice

From concept to workflow

From concept to workflow. Translate pre-treatment patient assessment into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For identity and weight, ask what makes the result reliable. For vital signs, identify the most important safety controls. For access check and baseline symptoms, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Pre-Treatment Patient Assessment - Visual Learning Map






HOW TO READ THIS VISUAL

1. Identity: verify this step before moving forward.
2. Weight: verify this step before moving forward.
3. Vital signs: verify this step before moving forward.
4. Access check: verify this step before moving forward.

Clinical / Practical Training - Pre-Treatment Patient Assessment



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for identity and weight.
3. Perform the task using the approved sequence for vital signs; protect sterility, accuracy, and patient safety.
4. Observe for problems involving access check; stop and escalate when findings are outside scope or expected limits.
5. Complete baseline symptoms documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Pre-Treatment Patient Assessment

Potential problem	Why it matters	Safe response
Missing or conflicting identity information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving weight	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during vital signs	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with access check	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete baseline symptoms documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 15: Pre-Treatment Patient Assessment

SCENARIO

During a routine task involving identity and weight, the technician notices that the expected information does not match what is seen in vital signs. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about access check. The technician must decide how to protect baseline symptoms while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 15 Knowledge Check

1 **Which action best supports safety when working with identity?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving weight is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is vital signs important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about access check is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good baseline symptoms practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 15 Summary & Competency Check

Pre-Treatment Patient Assessment

Key takeaways

- Identity must be linked to safety, quality, scope, and documentation.
- Weight must be linked to safety, quality, scope, and documentation.
- Vital signs must be linked to safety, quality, scope, and documentation.
- Access check must be linked to safety, quality, scope, and documentation.
- Baseline symptoms must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 16

Understanding the Treatment Prescription

Learning outcomes

- Explain the core concepts of understanding the treatment prescription.
- Apply time and blood flow to realistic program tasks.
- Recognize safety and quality concerns related to dialysate flow.
- Document and communicate findings involving ultrafiltration goal and scope limitations.

KEY CONCEPTS

- Time
- Blood Flow
- Dialysate Flow
- Ultrafiltration Goal
- Scope Limitations

Why this chapter matters

Students use this chapter to connect time, blood flow, and dialysate flow with safe, accurate, and professional practice.

Understanding the Treatment Prescription - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Understanding the Treatment Prescription** is developed through the connected ideas of time, blood flow, dialysate flow, ultrafiltration goal, scope limitations. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study understanding the treatment prescription is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of time, blood flow, and dialysate flow form the operational core. The remaining concepts - ultrafiltration goal and scope limitations - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect time to blood flow before moving to the practical task.

Understanding the Treatment Prescription - Mechanisms & Reasoning

How the process works

A useful way to study understanding the treatment prescription is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of time, blood flow, and dialysate flow form the operational core. The remaining concepts - ultrafiltration goal and scope limitations - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Understanding the Treatment Prescription - Applied Practice

From concept to workflow

From concept to workflow. Translate understanding the treatment prescription into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For time and blood flow, ask what makes the result reliable. For dialysate flow, identify the most important safety controls. For ultrafiltration goal and scope limitations, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Understanding the Treatment Prescription - Visual Learning Map


1 TIME — 2 BLOOD FLOW — 3 DIALYSATE FLOW — 4 ULTRAFILTRATION GOAL — 5 SCOPE LIMITATIONS



HOW TO READ THIS VISUAL

1. Time: verify this step before moving forward.
2. Blood flow: verify this step before moving forward.
3. Dialysate flow: verify this step before moving forward.
4. Ultrafiltration goal: verify this step before moving forward.

Clinical / Practical Training - Understanding the Treatment Prescription



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for time and blood flow.
3. Perform the task using the approved sequence for dialysate flow; protect sterility, accuracy, and patient safety.
4. Observe for problems involving ultrafiltration goal; stop and escalate when findings are outside scope or expected limits.
5. Complete scope limitations documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Understanding the Treatment Prescription

Potential problem	Why it matters	Safe response
Missing or conflicting time information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving blood flow	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during dialysate flow	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with ultrafiltration goal	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete scope limitations documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 16: Understanding the Treatment Prescription

SCENARIO

During a routine task involving time and blood flow, the technician notices that the expected information does not match what is seen in dialysate flow. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about ultrafiltration goal. The technician must decide how to protect scope limitations while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 16 Knowledge Check

1 **Which action best supports safety when working with time?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving blood flow is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is dialysate flow important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about ultrafiltration goal is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good scope limitations practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 16 Summary & Competency Check

Understanding the Treatment Prescription

Key takeaways

- Time must be linked to safety, quality, scope, and documentation.
- Blood flow must be linked to safety, quality, scope, and documentation.
- Dialysate flow must be linked to safety, quality, scope, and documentation.
- Ultrafiltration goal must be linked to safety, quality, scope, and documentation.
- Scope limitations must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 17

Hemodialysis Machine Setup

Learning outcomes

- Explain the core concepts of hemodialysis machine setup.
- Apply supplies and machine checks to realistic program tasks.
- Recognize safety and quality concerns related to circuit preparation.
- Document and communicate findings involving dialyzer and safety verification.

KEY CONCEPTS

- Supplies
- Machine Checks
- Circuit Preparation
- Dialyzer
- Safety Verification

Why this chapter matters

Students use this chapter to connect supplies, machine checks, and circuit preparation with safe, accurate, and professional practice.

Hemodialysis Machine Setup - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Hemodialysis Machine Setup** is developed through the connected ideas of supplies, machine checks, circuit preparation, dialyzer, safety verification. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study hemodialysis machine setup is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of supplies, machine checks, and circuit preparation form the operational core. The remaining concepts - dialyzer and safety verification - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect supplies to machine checks before moving to the practical task.

Hemodialysis Machine Setup - Mechanisms & Reasoning

How the process works

A useful way to study hemodialysis machine setup is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of supplies, machine checks, and circuit preparation form the operational core. The remaining concepts - dialyzer and safety verification - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Hemodialysis Machine Setup - Applied Practice

From concept to workflow

From concept to workflow. Translate hemodialysis machine setup into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For supplies and machine checks, ask what makes the result reliable. For circuit preparation, identify the most important safety controls. For dialyzer and safety verification, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Hemodialysis Machine Setup - Visual Learning Map


1 SUPPLIES — 2 MACHINE CHECKS — 3 CIRCUIT PREPARATION — 4 DIALYZER — 5 SAFETY VERIFICATION



HOW TO READ THIS VISUAL

1. Supplies: verify this step before moving forward.
2. Machine checks: verify this step before moving forward.
3. Circuit preparation: verify this step before moving forward.
4. Dialyzer: verify this step before moving forward.

Clinical / Practical Training - Hemodialysis Machine Setup



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for supplies and machine checks.
3. Perform the task using the approved sequence for circuit preparation; protect sterility, accuracy, and patient safety.
4. Observe for problems involving dialyzer; stop and escalate when findings are outside scope or expected limits.
5. Complete safety verification documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Hemodialysis Machine Setup

Potential problem	Why it matters	Safe response
Missing or conflicting supplies information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving machine checks	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during circuit preparation	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with dialyzer	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete safety verification documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 17: Hemodialysis Machine Setup

SCENARIO

During a routine task involving supplies and machine checks, the technician notices that the expected information does not match what is seen in circuit preparation. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about dialyzer. The technician must decide how to protect safety verification while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 17 Knowledge Check

1 **Which action best supports safety when working with supplies?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving machine checks is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is circuit preparation important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about dialyzer is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good safety verification practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 17 Summary & Competency Check

Hemodialysis Machine Setup

Key takeaways

- Supplies must be linked to safety, quality, scope, and documentation.
- Machine checks must be linked to safety, quality, scope, and documentation.
- Circuit preparation must be linked to safety, quality, scope, and documentation.
- Dialyzer must be linked to safety, quality, scope, and documentation.
- Safety verification must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 18

Initiating Hemodialysis

Learning outcomes

- Explain the core concepts of initiating hemodialysis.
- Apply patient preparation and access connection to realistic program tasks.
- Recognize safety and quality concerns related to start checks.
- Document and communicate findings involving documentation and supervision.

KEY CONCEPTS

- Patient Preparation
- Access Connection
- Start Checks
- Documentation
- Supervision

Why this chapter matters

Students use this chapter to connect patient preparation, access connection, and start checks with safe, accurate, and professional practice.

Initiating Hemodialysis - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Initiating Hemodialysis** is developed through the connected ideas of patient preparation, access connection, start checks, documentation, supervision. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study initiating hemodialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of patient preparation, access connection, and start checks form the operational core. The remaining concepts - documentation and supervision - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect patient preparation to access connection before moving to the practical task.

Initiating Hemodialysis - Mechanisms & Reasoning

How the process works

A useful way to study initiating hemodialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of patient preparation, access connection, and start checks form the operational core. The remaining concepts - documentation and supervision - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Initiating Hemodialysis - Applied Practice

From concept to workflow

From concept to workflow. Translate initiating hemodialysis into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For patient preparation and access connection, ask what makes the result reliable. For start checks, identify the most important safety controls. For documentation and supervision, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Initiating Hemodialysis - Visual Learning Map






HOW TO READ THIS VISUAL

1. Patient preparation: verify this step before moving forward.
2. Access connection: verify this step before moving forward.
3. Start checks: verify this step before moving forward.
4. Documentation: verify this step before moving forward.

Clinical / Practical Training - Initiating Hemodialysis



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for patient preparation and access connection.
3. Perform the task using the approved sequence for start checks; protect sterility, accuracy, and patient safety.
4. Observe for problems involving documentation; stop and escalate when findings are outside scope or expected limits.
5. Complete supervision documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Initiating Hemodialysis

Potential problem	Why it matters	Safe response
Missing or conflicting patient preparation information	Risk	Stop; verify against the authoritative source.
Unexpected finding involving access connection	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during start checks	Can create contamination, calculation, or documentation	Return to the last verified step and restart as policy directs.
Problem with documentation	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete supervision documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 18: Initiating Hemodialysis

SCENARIO

During a routine task involving patient preparation and access connection, the technician notices that the expected information does not match what is seen in start checks. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about documentation. The technician must decide how to protect supervision while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 18 Knowledge Check

1 **Which action best supports safety when working with patient preparation?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving access connection is outside technician scope, the best next step i**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is start checks important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about documentation is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good supervision practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 18 Summary & Competency Check

Initiating Hemodialysis

Key takeaways

- Patient preparation must be linked to safety, quality, scope, and documentation.
- Access connection must be linked to safety, quality, scope, and documentation.
- Start checks must be linked to safety, quality, scope, and documentation.
- Documentation must be linked to safety, quality, scope, and documentation.
- Supervision must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 19

Monitoring During Hemodialysis

Learning outcomes

- Explain the core concepts of monitoring during hemodialysis.
- Apply vital signs and machine pressures to realistic program tasks.
- Recognize safety and quality concerns related to symptoms.
- Document and communicate findings involving access and documentation.

KEY CONCEPTS

- Vital Signs
- Machine Pressures
- Symptoms
- Access
- Documentation

Why this chapter matters

Students use this chapter to connect vital signs, machine pressures, and symptoms with safe, accurate, and professional practice.

Monitoring During Hemodialysis - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Monitoring During Hemodialysis** is developed through the connected ideas of vital signs, machine pressures, symptoms, access, documentation. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study monitoring during hemodialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of vital signs, machine pressures, and symptoms form the operational core. The remaining concepts - access and documentation - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect vital signs to machine pressures before moving to the practical task.

Monitoring During Hemodialysis - Mechanisms & Reasoning

How the process works

A useful way to study monitoring during hemodialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of vital signs, machine pressures, and symptoms form the operational core. The remaining concepts - access and documentation - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Monitoring During Hemodialysis - Applied Practice

From concept to workflow

From concept to workflow. Translate monitoring during hemodialysis into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For vital signs and machine pressures, ask what makes the result reliable. For symptoms, identify the most important safety controls. For access and documentation, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Monitoring During Hemodialysis - Visual Learning Map


1 VITAL SIGNS — 2 MACHINE PRESSURES — 3 SYMPTOMS — 4 ACCESS — 5 DOCUMENTATION



HOW TO READ THIS VISUAL

1. Vital signs: verify this step before moving forward.
2. Machine pressures: verify this step before moving forward.
3. Symptoms: verify this step before moving forward.
4. Access: verify this step before moving forward.

Clinical / Practical Training - Monitoring During Hemodialysis



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for vital signs and machine pressures.
3. Perform the task using the approved sequence for symptoms; protect sterility, accuracy, and patient safety.
4. Observe for problems involving access; stop and escalate when findings are outside scope or expected limits.
5. Complete documentation documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Monitoring During Hemodialysis

Potential problem	Why it matters	Safe response
Missing or conflicting vital signs information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving machine pressures	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during symptoms	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with access	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete documentation documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 19: Monitoring During Hemodialysis

SCENARIO

During a routine task involving vital signs and machine pressures, the technician notices that the expected information does not match what is seen in symptoms. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about access. The technician must decide how to protect documentation while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 19 Knowledge Check

1 **Which action best supports safety when working with vital signs?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving machine pressures is outside technician scope, the best next step i**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is symptoms important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about access is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good documentation practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 19 Summary & Competency Check

Monitoring During Hemodialysis

Key takeaways

- Vital signs must be linked to safety, quality, scope, and documentation.
- Machine pressures must be linked to safety, quality, scope, and documentation.
- Symptoms must be linked to safety, quality, scope, and documentation.
- Access must be linked to safety, quality, scope, and documentation.
- Documentation must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 20

Terminating Hemodialysis

Learning outcomes

- Explain the core concepts of terminating hemodialysis.
- Apply rinse-back awareness and access care to realistic program tasks.
- Recognize safety and quality concerns related to post weight.
- Document and communicate findings involving vital signs and documentation.

KEY CONCEPTS

- Rinse-Back Awareness
- Access Care
- Post Weight
- Vital Signs
- Documentation

Why this chapter matters

Students use this chapter to connect rinse-back awareness, access care, and post weight with safe, accurate, and professional practice.

Terminating Hemodialysis - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Terminating Hemodialysis** is developed through the connected ideas of rinse-back awareness, access care, post weight, vital signs, documentation. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study terminating hemodialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of rinse-back awareness, access care, and post weight form the operational core. The remaining concepts - vital signs and documentation - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect rinse-back awareness to access care before moving to the practical task.

Terminating Hemodialysis - Mechanisms & Reasoning

How the process works

A useful way to study terminating hemodialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of rinse-back awareness, access care, and post weight form the operational core. The remaining concepts - vital signs and documentation - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Terminating Hemodialysis - Applied Practice

From concept to workflow

From concept to workflow. Translate terminating hemodialysis into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For rinse-back awareness and access care, ask what makes the result reliable. For post weight, identify the most important safety controls. For vital signs and documentation, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Terminating Hemodialysis - Visual Learning Map






HOW TO READ THIS VISUAL

1. Rinse-back awareness: verify this step before moving forward.
2. Access care: verify this step before moving forward.
3. Post weight: verify this step before moving forward.
4. Vital signs: verify this step before moving forward.

Clinical / Practical Training - Terminating Hemodialysis



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for rinse-back awareness and access care.
3. Perform the task using the approved sequence for post weight; protect sterility, accuracy, and patient safety.
4. Observe for problems involving vital signs; stop and escalate when findings are outside scope or expected limits.
5. Complete documentation documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Terminating Hemodialysis

Potential problem	Why it matters	Safe response
Missing or conflicting rinse-back awareness information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving access care	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during post weight	Can create contamination, calculation, or documentation error	Return to the last verified step and restart as policy directs.
Problem with vital signs	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete documentation documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 20: Terminating Hemodialysis

SCENARIO

During a routine task involving rinse-back awareness and access care, the technician notices that the expected information does not match what is seen in post weight. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about vital signs. The technician must decide how to protect documentation while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 20 Knowledge Check

1 **Which action best supports safety when working with rinse-back awareness?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving access care is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is post weight important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about vital signs is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good documentation practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 20 Summary & Competency Check

Terminating Hemodialysis

Key takeaways

- Rinse-back awareness must be linked to safety, quality, scope, and documentation.
- Access care must be linked to safety, quality, scope, and documentation.
- Post weight must be linked to safety, quality, scope, and documentation.
- Vital signs must be linked to safety, quality, scope, and documentation.
- Documentation must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 21

Common Hemodialysis Complications

Learning outcomes

- Explain the core concepts of common hemodialysis complications.
- Apply hypotension and cramps to realistic program tasks.
- Recognize safety and quality concerns related to nausea.
- Document and communicate findings involving headache and access bleeding.

KEY CONCEPTS

- Hypotension
- Cramps
- Nausea
- Headache
- Access Bleeding

Why this chapter matters

Students use this chapter to connect hypotension, cramps, and nausea with safe, accurate, and professional practice.

Common Hemodialysis Complications - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Common Hemodialysis Complications** is developed through the connected ideas of hypotension, cramps, nausea, headache, access bleeding. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study common hemodialysis complications is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of hypotension, cramps, and nausea form the operational core. The remaining concepts - headache and access bleeding - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect hypotension to cramps before moving to the practical task.

Common Hemodialysis Complications - Mechanisms & Reasoning

How the process works

A useful way to study common hemodialysis complications is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of hypotension, cramps, and nausea form the operational core. The remaining concepts - headache and access bleeding - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Common Hemodialysis Complications - Applied Practice

From concept to workflow

From concept to workflow. Translate common hemodialysis complications into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For hypotension and cramps, ask what makes the result reliable. For nausea, identify the most important safety controls. For headache and access bleeding, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Common Hemodialysis Complications - Visual Learning Map


1 HYPOTENSION — 2 CRAMPS — 3 NAUSEA — 4 HEADACHE — 5 ACCESS BLEEDING



HOW TO READ THIS VISUAL

1. Hypotension: verify this step before moving forward.
2. Cramps: verify this step before moving forward.
3. Nausea: verify this step before moving forward.
4. Headache: verify this step before moving forward.

Clinical / Practical Training - Common Hemodialysis Complications



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for hypotension and cramps.
3. Perform the task using the approved sequence for nausea; protect sterility, accuracy, and patient safety.
4. Observe for problems involving headache; stop and escalate when findings are outside scope or expected limits.
5. Complete access bleeding documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Common Hemodialysis Complications

Potential problem	Why it matters	Safe response
Missing or conflicting hypotension information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving cramps	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during nausea	Can create contamination, calculation, or documentation	Return to the last verified step and restart as policy directs.
Problem with headache	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete access bleeding documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 21: Common Hemodialysis Complications

SCENARIO

During a routine task involving hypotension and cramps, the technician notices that the expected information does not match what is seen in nausea. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about headache. The technician must decide how to protect access bleeding while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 21 Knowledge Check

1 **Which action best supports safety when working with hypotension?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving cramps is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is nausea important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about headache is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good access bleeding practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 21 Summary & Competency Check

Common Hemodialysis Complications

Key takeaways

- Hypotension must be linked to safety, quality, scope, and documentation.
- Cramps must be linked to safety, quality, scope, and documentation.
- Nausea must be linked to safety, quality, scope, and documentation.
- Headache must be linked to safety, quality, scope, and documentation.
- Access bleeding must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 22

Emergency Recognition in Dialysis

Learning outcomes

- Explain the core concepts of emergency recognition in dialysis.
- Apply chest pain and dyspnea to realistic program tasks.
- Recognize safety and quality concerns related to loss of consciousness.
- Document and communicate findings involving hemolysis awareness and air embolism awareness.

KEY CONCEPTS

- Chest Pain
- Dyspnea
- Loss Of Consciousness
- Hemolysis Awareness
- Air Embolism Awareness

Why this chapter matters

Students use this chapter to connect chest pain, dyspnea, and loss of consciousness with safe, accurate, and professional practice.

Emergency Recognition in Dialysis - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Emergency Recognition in Dialysis** is developed through the connected ideas of chest pain, dyspnea, loss of consciousness, hemolysis awareness, air embolism awareness. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study emergency recognition in dialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of chest pain, dyspnea, and loss of consciousness form the operational core. The remaining concepts - hemolysis awareness and air embolism awareness - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect chest pain to dyspnea before moving to the practical task.

Emergency Recognition in Dialysis - Mechanisms & Reasoning

How the process works

A useful way to study emergency recognition in dialysis is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of chest pain, dyspnea, and loss of consciousness form the operational core. The remaining concepts - hemolysis awareness and air embolism awareness - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Emergency Recognition in Dialysis - Applied Practice

From concept to workflow

From concept to workflow. Translate emergency recognition in dialysis into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For chest pain and dyspnea, ask what makes the result reliable. For loss of consciousness, identify the most important safety controls. For hemolysis awareness and air embolism awareness, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Emergency Recognition in Dialysis - Visual Learning Map


1. CHEST PAIN
2. DYSPNEA
3. LOSS OF CONSCIOUSNESS
4. HEMOLYSIS AWARENESS
5. AIR EMBOLISM AWARENESS



HOW TO READ THIS VISUAL

1. Chest pain: verify this step before moving forward.
2. Dyspnea: verify this step before moving forward.
3. Loss of consciousness: verify this step before moving forward.
4. Hemolysis awareness: verify this step before moving forward.

Clinical / Practical Training - Emergency Recognition in Dialysis



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for chest pain and dyspnea.
3. Perform the task using the approved sequence for loss of consciousness; protect sterility, accuracy, and patient safety.
4. Observe for problems involving hemolysis awareness; stop and escalate when findings are outside scope or expected limits.
5. Complete air embolism awareness documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Emergency Recognition in Dialysis

Potential problem	Why it matters	Safe response
Missing or conflicting chest pain information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving dyspnea	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during loss of consciousness	Can create contamination, calculation, or documentation	Return to the last verified step and restart as policy directs.
Problem with hemolysis awareness	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete air embolism awareness documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 22: Emergency Recognition in Dialysis

SCENARIO

During a routine task involving chest pain and dyspnea, the technician notices that the expected information does not match what is seen in loss of consciousness. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about hemolysis awareness. The technician must decide how to protect air embolism awareness while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 22 Knowledge Check

1 **Which action best supports safety when working with chest pain?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving dyspnea is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is loss of consciousness important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about hemolysis awareness is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good air embolism awareness practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 22 Summary & Competency Check

Emergency Recognition in Dialysis

Key takeaways

- Chest pain must be linked to safety, quality, scope, and documentation.
- Dyspnea must be linked to safety, quality, scope, and documentation.
- Loss of consciousness must be linked to safety, quality, scope, and documentation.
- Hemolysis awareness must be linked to safety, quality, scope, and documentation.
- Air embolism awareness must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 23

Peritoneal Dialysis Principles

Learning outcomes

- Explain the core concepts of peritoneal dialysis principles.
- Apply peritoneum and dialysate to realistic program tasks.
- Recognize safety and quality concerns related to dwell.
- Document and communicate findings involving drain and modalities.

KEY CONCEPTS

- Peritoneum
- Dialysate
- Dwell
- Drain
- Modalities

Why this chapter matters

Students use this chapter to connect peritoneum, dialysate, and dwell with safe, accurate, and professional practice.

Peritoneal Dialysis Principles - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Peritoneal Dialysis Principles** is developed through the connected ideas of peritoneum, dialysate, dwell, drain, modalities. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study peritoneal dialysis principles is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of peritoneum, dialysate, and dwell form the operational core. The remaining concepts - drain and modalities - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect peritoneum to dialysate before moving to the practical task.

Peritoneal Dialysis Principles - Mechanisms & Reasoning

How the process works

A useful way to study peritoneal dialysis principles is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of peritoneum, dialysate, and dwell form the operational core. The remaining concepts - drain and modalities - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Peritoneal Dialysis Principles - Applied Practice

From concept to workflow

From concept to workflow. Translate peritoneal dialysis principles into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For peritoneum and dialysate, ask what makes the result reliable. For dwell, identify the most important safety controls. For drain and modalities, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Peritoneal Dialysis Principles - Visual Learning Map


1 PERITONEUM — 2 DIALYSATE — 3 DWELL — 4 DRAIN — 5 MODALITIES



HOW TO READ THIS VISUAL

1. Peritoneum: verify this step before moving forward.
2. Dialysate: verify this step before moving forward.
3. Dwell: verify this step before moving forward.
4. Drain: verify this step before moving forward.

Clinical / Practical Training - Peritoneal Dialysis Principles



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for peritoneum and dialysate.
3. Perform the task using the approved sequence for dwell; protect sterility, accuracy, and patient safety.
4. Observe for problems involving drain; stop and escalate when findings are outside scope or expected limits.
5. Complete modalities documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Peritoneal Dialysis Exchange Steps and Infection Prevention

CLEAN TECHNIQUE. HEALTHY HABITS. A SAFER TOMORROW.

PREVENT INFECTION
PROTECT THE PERITONEUM
SUPPORT A HEALTHIER LIFE

1 Preparation and Supplies

Set up a clean, organized workspace.



- Choose a clean, well-lit area
- Gather supplies (PD solution, tubing, caps, masks, antiseptic, disposal bag)
- Check solution for clarity, correct type and expiration date
- Keep workspace clean and uncluttered

2 Hand Hygiene

Clean hands prevent infections.



- Wash hands with soap and water for at least 20 seconds
- Dry with a clean towel
- Use alcohol-based hand rub if soap and water are not available

20 SECONDS

CLEAN HANDS SAVE LIVES

3 Mask Use

Reduce the risk of contamination.



- Wear a surgical mask
- Ensure mask covers nose and mouth
- Keep mask on during the entire exchange

PROTECT YOURSELF. PROTECT YOUR PATIENT.

4 Connecting Tubing

Use aseptic technique.



- Perform hand hygiene and wear a mask
- Keep all connection ends sterile
- Remove protective caps without touching the ends
- Connect tubing using aseptic technique
- Ensure connections are secure

TOUCH ONLY WHAT STAYS STERILE

5 Drain Phase

Allow used dialysate to drain out.



- Open the drain line (follow system steps or cycler prompts)
- Allow complete drainage (usually 10–20 minutes)
- Monitor for fibrin, blood, or cloudy fluid
- Report any abnormal findings

CLEAR FLUID IS A GOOD SIGN. CLOUDY FLUID MAY MEAN INFECTION — REPORT IT.

6 Fill Phase

Infuse fresh dialysate.



- Open the fill line
- Allow solution to flow in (typically 10–15 minutes)
- Ensure correct solution, volume, and temperature
- Close the line as directed

USE ONLY PRESCRIBED PD SOLUTIONS

7 Dwell

Let the solution work.



- Keep solution in the abdomen for the prescribed time (usually 4–6 hours)
- Continue normal activities as advised
- Report abdominal pain, fever, or cloudy effluent

DWELL TIME ALLOWS WASTE AND EXCESS FLUID TO BE REMOVED

8 Disconnect

Close and cap safely.



- Perform hand hygiene
- Disconnect using aseptic technique
- Apply a new, sterile cap
- Ensure the catheter is secure
- Do not touch internal ends

KEEP IT CLOSED. KEEP IT CLEAN.

9 Exit-Site Care

Keep the catheter exit site healthy.



- Inspect the exit site for redness, swelling, drainage, or tenderness
- Clean with approved antiseptic (e.g., chlorhexidine)
- Allow to dry and apply a clean, dry dressing if ordered
- Report signs of infection to the healthcare team

A HEALTHY EXIT SITE HELPS PREVENT PERITONITIS

10 Disposal and Cleanup

Keep your environment safe.



- Close and discard used solution and supplies in appropriate waste containers
- Do not reuse supplies
- Clean and disinfect your work surface
- Perform hand hygiene after cleanup

DISPOSE SAFELY. A CLEAN SPACE PREVENTS INFECTION.

INFECTION PREVENTION KEY POINTS

- Hand hygiene every time
- Wear a mask
- Maintain a clean work area
- Avoid touching sterile ends
- Inspect for signs of infection
- Report concerns early

SIGNS OF INFECTION — REPORT PROMPTLY

- Cloudy dialysate
- Fever
- Abdominal pain or tenderness
- Redness, swelling, or drainage at the exit site

SAFE STEPS. BRIGHTER DAYS.

DIALYSIS TECHNICIANS MAKE A DIFFERENCE.

EDUCATE • PREVENT • EMPOWER • BETTER OUTCOMES

Safety, Quality & Troubleshooting - Peritoneal Dialysis Principles

Potential problem	Why it matters	Safe response
Missing or conflicting peritoneum information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving dialysate	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during dwell	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with drain	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete modalities documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 23: Peritoneal Dialysis Principles

SCENARIO

During a routine task involving peritoneum and dialysate, the technician notices that the expected information does not match what is seen in dwell. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about drain. The technician must decide how to protect modalities while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 23 Knowledge Check

1 **Which action best supports safety when working with peritoneum?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving dialysate is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is dwell important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about drain is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good modalities practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 23 Summary & Competency Check

Peritoneal Dialysis Principles

Key takeaways

- Peritoneum must be linked to safety, quality, scope, and documentation.
- Dialysate must be linked to safety, quality, scope, and documentation.
- Dwell must be linked to safety, quality, scope, and documentation.
- Drain must be linked to safety, quality, scope, and documentation.
- Modalities must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 24

Peritoneal Dialysis Exchange

Learning outcomes

- Explain the core concepts of peritoneal dialysis exchange.
- Apply aseptic setup and drain to realistic program tasks.
- Recognize safety and quality concerns related to fill.
- Document and communicate findings involving dwell and documentation.

KEY CONCEPTS

- Aseptic Setup
- Drain
- Fill
- Dwell
- Documentation

Why this chapter matters

Students use this chapter to connect aseptic setup, drain, and fill with safe, accurate, and professional practice.

Peritoneal Dialysis Exchange - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Peritoneal Dialysis Exchange** is developed through the connected ideas of aseptic setup, drain, fill, dwell, documentation. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study peritoneal dialysis exchange is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of aseptic setup, drain, and fill form the operational core. The remaining concepts - dwell and documentation - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect aseptic setup to drain before moving to the practical task.

Peritoneal Dialysis Exchange - Mechanisms & Reasoning

How the process works

A useful way to study peritoneal dialysis exchange is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of aseptic setup, drain, and fill form the operational core. The remaining concepts - dwell and documentation - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Peritoneal Dialysis Exchange - Applied Practice

From concept to workflow

From concept to workflow. Translate peritoneal dialysis exchange into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For aseptic setup and drain, ask what makes the result reliable. For fill, identify the most important safety controls. For dwell and documentation, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Peritoneal Dialysis Exchange - Visual Learning Map






HOW TO READ THIS VISUAL

1. Aseptic setup: verify this step before moving forward.
2. Drain: verify this step before moving forward.
3. Fill: verify this step before moving forward.
4. Dwell: verify this step before moving forward.

Clinical / Practical Training - Peritoneal Dialysis Exchange



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for aseptic setup and drain.
3. Perform the task using the approved sequence for fill; protect sterility, accuracy, and patient safety.
4. Observe for problems involving dwell; stop and escalate when findings are outside scope or expected limits.
5. Complete documentation documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Peritoneal Dialysis Exchange

Potential problem	Why it matters	Safe response
Missing or conflicting aseptic setup information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving drain	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during fill	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with dwell	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete documentation documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 24: Peritoneal Dialysis Exchange

SCENARIO

During a routine task involving aseptic setup and drain, the technician notices that the expected information does not match what is seen in fill. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about dwell. The technician must decide how to protect documentation while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 24 Knowledge Check

1 **Which action best supports safety when working with aseptic setup?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving drain is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is fill important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about dwell is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good documentation practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 24 Summary & Competency Check

Peritoneal Dialysis Exchange

Key takeaways

- Aseptic setup must be linked to safety, quality, scope, and documentation.
- Drain must be linked to safety, quality, scope, and documentation.
- Fill must be linked to safety, quality, scope, and documentation.
- Dwell must be linked to safety, quality, scope, and documentation.
- Documentation must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 25

Peritoneal Dialysis Complications

Learning outcomes

- Explain the core concepts of peritoneal dialysis complications.
- Apply peritonitis and exit-site infection to realistic program tasks.
- Recognize safety and quality concerns related to poor flow.
- Document and communicate findings involving leaks and fluid balance.

KEY CONCEPTS

- Peritonitis
- Exit-Site Infection
- Poor Flow
- Leaks
- Fluid Balance

Why this chapter matters

Students use this chapter to connect peritonitis, exit-site infection, and poor flow with safe, accurate, and professional practice.

Peritoneal Dialysis Complications - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Peritoneal Dialysis Complications** is developed through the connected ideas of peritonitis, exit-site infection, poor flow, leaks, fluid balance. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study peritoneal dialysis complications is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of peritonitis, exit-site infection, and poor flow form the operational core. The remaining concepts - leaks and fluid balance - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect peritonitis to exit-site infection before moving to the practical task.

Peritoneal Dialysis Complications - Mechanisms & Reasoning

How the process works

A useful way to study peritoneal dialysis complications is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of peritonitis, exit-site infection, and poor flow form the operational core. The remaining concepts - leaks and fluid balance - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Peritoneal Dialysis Complications - Applied Practice

From concept to workflow

From concept to workflow. Translate peritoneal dialysis complications into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For peritonitis and exit-site infection, ask what makes the result reliable. For poor flow, identify the most important safety controls. For leaks and fluid balance, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Peritoneal Dialysis Complications - Visual Learning Map






HOW TO READ THIS VISUAL

1. Peritonitis: verify this step before moving forward.
2. Exit-site infection: verify this step before moving forward.
3. Poor flow: verify this step before moving forward.
4. Leaks: verify this step before moving forward.

Clinical / Practical Training - Peritoneal Dialysis Complications



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for peritonitis and exit-site infection.
3. Perform the task using the approved sequence for poor flow; protect sterility, accuracy, and patient safety.
4. Observe for problems involving leaks; stop and escalate when findings are outside scope or expected limits.
5. Complete fluid balance documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Peritoneal Dialysis Complications

Potential problem	Why it matters	Safe response
Missing or conflicting peritonitis information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving exit-site infection	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during poor flow	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with leaks	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete fluid balance documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 25: Peritoneal Dialysis Complications

SCENARIO

During a routine task involving peritonitis and exit-site infection, the technician notices that the expected information does not match what is seen in poor flow. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about leaks. The technician must decide how to protect fluid balance while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 25 Knowledge Check

1 **Which action best supports safety when working with peritonitis?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving exit-site infection is outside technician scope, the best next step**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is poor flow important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about leaks is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good fluid balance practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 25 Summary & Competency Check

Peritoneal Dialysis Complications

Key takeaways

- Peritonitis must be linked to safety, quality, scope, and documentation.
- Exit-site infection must be linked to safety, quality, scope, and documentation.
- Poor flow must be linked to safety, quality, scope, and documentation.
- Leaks must be linked to safety, quality, scope, and documentation.
- Fluid balance must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

CHAPTER 26

Patient Education, Nutrition and Psychosocial Support

Learning outcomes

- Explain the core concepts of patient education, nutrition and psychosocial support.
- Apply fluid restriction and diet principles to realistic program tasks.
- Recognize safety and quality concerns related to access protection.
- Document and communicate findings involving adherence and coping.

KEY CONCEPTS

- Fluid Restriction
- Diet Principles
- Access Protection
- Adherence
- Coping

Why this chapter matters

Students use this chapter to connect fluid restriction, diet principles, and access protection with safe, accurate, and professional practice.

Patient Education, Nutrition and Psychosocial Support - Foundations

Why this matters

Dialysis technology combines physiology, equipment, infection prevention, patient monitoring, and team communication. The technician must understand both the machine and the person connected to it. In this chapter, **Patient Education, Nutrition and Psychosocial Support** is developed through the connected ideas of fluid restriction, diet principles, access protection, adherence, coping. The goal is not memorization of isolated facts. Students should be able to explain why the process exists, identify what can go wrong, and connect the task to patient safety, quality, and professional accountability. A technician who understands the underlying system is better prepared to recognize an unusual situation and pause before an error reaches the patient.

System view

A useful way to study patient education, nutrition and psychosocial support is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of fluid restriction, diet principles, and access protection form the operational core. The remaining concepts - adherence and coping - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

CDIL WAY - STUDY POINT

Connect fluid restriction to diet principles before moving to the practical task.

Patient Education, Nutrition and Psychosocial Support - Mechanisms & Reasoning

How the process works

A useful way to study patient education, nutrition and psychosocial support is to follow information and materials from input to output. Start by asking what information must be verified, what equipment or records are involved, what sequence is expected, and which findings require escalation. The concepts of fluid restriction, diet principles, and access protection form the operational core. The remaining concepts - adherence and coping - help the learner check quality and decide whether the process is complete. This systems approach is especially important because a technically correct action can still be unsafe when performed for the wrong patient, with the wrong product, at the wrong time, or without adequate documentation.

Boundaries and escalation

Professional practice also requires awareness of boundaries. The textbook describes common educational methods and representative workflows, but local law, employer policy, validated equipment instructions, and the supervising licensed professional control actual practice. Students should therefore learn the standard logic of the task while also developing the habit of checking current policy. When there is a conflict, missing information, an unexpected patient response, or a result that does not make sense, the safe response is to stop, verify, and escalate rather than improvise.

CDIL WAY - STUDY POINT

A strong technician can explain what should happen, what could go wrong, and what information must be escalated.

Patient Education, Nutrition and Psychosocial Support - Applied Practice

From concept to workflow

From concept to workflow. Translate patient education, nutrition and psychosocial support into a repeatable sequence: prepare the environment, verify the person/order/product, gather the correct materials, perform the task within scope, verify the result, document, and communicate. Each stage has its own failure points, so a strong technician uses deliberate checks instead of relying on memory alone.

Quality lens


Quality lens. For fluid restriction and diet principles, ask what makes the result reliable. For access protection, identify the most important safety controls. For adherence and coping, identify what must be recorded or communicated so the next person in the process can act safely.

Professional reasoning

Clinical/professional reasoning. A competent technician notices patterns and discrepancies. If labels, calculations, equipment displays, patient findings, or documentation do not agree, the discrepancy itself is important information. The technician should protect the patient and process first, then use the approved chain of communication to resolve the issue.

Patient Education, Nutrition and Psychosocial Support - Visual Learning Map


1 FLUID RESTRICTION — 2 DIET PRINCIPLES — 3 ACCESS PROTECTION — 4 ADHERENCE — 5 COPING



HOW TO READ THIS VISUAL

1. Fluid restriction: verify this step before moving forward.
2. Diet principles: verify this step before moving forward.
3. Access protection: verify this step before moving forward.
4. Adherence: verify this step before moving forward.

Clinical / Practical Training - Patient Education, Nutrition and Psychosocial Support



SKILL SEQUENCE

1. Verify the patient, order, formula, product, or treatment information using the required identifiers.
2. Prepare the environment and gather supplies needed for fluid restriction and diet principles.
3. Perform the task using the approved sequence for access protection; protect sterility, accuracy, and patient safety.
4. Observe for problems involving adherence; stop and escalate when findings are outside scope or expected limits.
5. Complete coping documentation, communicate handoff information, and leave the work area safe.

SAFETY STOP

If patient condition, equipment behavior, labeling, calculations, or documentation do not agree, pause the process, protect the patient/product, and escalate.

Safety, Quality & Troubleshooting - Patient Education, Nutrition and Psychosocial Support

Potential problem	Why it matters	Safe response
Missing or conflicting fluid restriction information	Wrong patient/product/process risk	Stop; verify against the authoritative source.
Unexpected finding involving diet principles	May indicate error, complication, or instability	Recheck; do not override safety controls; escalate.
Workflow break during access protection	Can create contamination, calculation, or documentation errors	Return to the last verified step and restart as policy directs.
Problem with adherence	May affect quality, patient safety, or traceability	Contain the issue, label/secure as needed, notify the appropria
Incomplete coping documentation	Breaks continuity and audit trail	Complete accurate documentation promptly; never fabricate mi

QUALITY HABIT

- Use two independent identifiers where required.
- Read labels/orders/formulas from the source rather than memory.
- Trend results and machine/equipment behavior rather than reacting to one number alone.
- Document what was observed and what action was taken.

Applied Case 26: Patient Education, Nutrition and Psychosocial Support

SCENARIO

During a routine task involving fluid restriction and diet principles, the technician notices that the expected information does not match what is seen in access protection. At the same time, there is pressure to continue because the department is busy. The record also lacks a clear note about adherence. The technician must decide how to protect coping while maintaining workflow.

Reasoning questions

1. What information should be verified before the technician proceeds?
2. Which finding represents the highest immediate safety risk?
3. What part of the situation is within technician scope, and what requires escalation?
4. What should be documented so the next professional can understand the event?
5. What system change could reduce the chance of the same problem recurring?

MODEL REASONING

The safe approach is to pause at the discrepancy, verify the authoritative order/record/label, and protect the patient or product from further exposure. The technician should not use workload pressure as a reason to bypass a required check. Objective observations, the person notified, and the action taken should be documented according to policy.

Chapter 26 Knowledge Check

1 **Which action best supports safety when working with fluid restriction?**

A. Rely on memory
B. Verify against the approved source
C. Skip documentation
D. Continue despite a mismatch

2 **When a problem involving diet principles is outside technician scope, the best next step is:**

A. Ignore it
B. Independently change the plan
C. Escalate using the approved chain of communication
D. Delete the record

3 **Why is access protection important?**

A. It supports reliability and patient safety
B. It removes the need for policy
C. It replaces professional supervision
D. It eliminates all risk

4 **Which statement about adherence is most accurate?**

A. It should be performed without documentation
B. It must follow current policy and scope
C. It is optional when busy
D. It never requires verification

5 **Good coping practice primarily improves:**

A. Traceability and continuity
B. Guessing speed
C. Independence from supervision
D. Avoidance of all communication

ANSWERS & RATIONALE

1-B 2-C 3-A 4-B 5-A. Each correct choice prioritizes verification, scope, quality, documentation, and communication over speed or improvisation.

Chapter 26 Summary & Competency Check

Patient Education, Nutrition and Psychosocial Support

Key takeaways

- Fluid restriction must be linked to safety, quality, scope, and documentation.
- Diet principles must be linked to safety, quality, scope, and documentation.
- Access protection must be linked to safety, quality, scope, and documentation.
- Adherence must be linked to safety, quality, scope, and documentation.
- Coping must be linked to safety, quality, scope, and documentation.

Competency self-check

- [ ] I can explain the concept in my own words.
- [ ] I can follow the standard workflow without skipping verification steps.
- [ ] I can identify at least three common failure points.
- [ ] I know what findings require escalation.
- [ ] I can document the task accurately and objectively.
- [ ] I can use a visual/workflow to teach the concept to another learner.

REMEDIATION RULE

If you cannot explain why a step is performed, return to the narrative and visual map before attempting the competency again.

Clinical / Practical Competency Checklist 1

PERFORMANCE CRITERIA

☐	Verifies identity/order/formula/product before beginning	[ ] Needs practice [ ] Competent
☐	Performs hand hygiene and uses appropriate PPE	[ ] Needs practice [ ] Competent
☐	Organizes equipment and workspace before the task	[ ] Needs practice [ ] Competent
☐	Follows the correct sequence without bypassing safety controls	[ ] Needs practice [ ] Competent
☐	Recognizes unexpected findings and pauses/escalates appropriately	[ ] Needs practice [ ] Competent
☐	Maintains communication and patient dignity	[ ] Needs practice [ ] Competent
☐	Completes objective, timely documentation	[ ] Needs practice [ ] Competent
☐	Leaves equipment, product, and environment safe	[ ] Needs practice [ ] Competent
☐	Explains the rationale for the critical steps	[ ] Needs practice [ ] Competent
☐	Responds constructively to feedback and remediation	[ ] Needs practice [ ] Competent

Clinical / Practical Competency Checklist 2

PERFORMANCE CRITERIA

☐	Verifies identity/order/formula/product before beginning	[ ] Needs practice [ ] Competent
☐	Performs hand hygiene and uses appropriate PPE	[ ] Needs practice [ ] Competent
☐	Organizes equipment and workspace before the task	[ ] Needs practice [ ] Competent
☐	Follows the correct sequence without bypassing safety controls	[ ] Needs practice [ ] Competent
☐	Recognizes unexpected findings and pauses/escalates appropriately	[ ] Needs practice [ ] Competent
☐	Maintains communication and patient dignity	[ ] Needs practice [ ] Competent
☐	Completes objective, timely documentation	[ ] Needs practice [ ] Competent
☐	Leaves equipment, product, and environment safe	[ ] Needs practice [ ] Competent
☐	Explains the rationale for the critical steps	[ ] Needs practice [ ] Competent
☐	Responds constructively to feedback and remediation	[ ] Needs practice [ ] Competent

Clinical / Practical Competency Checklist 3

PERFORMANCE CRITERIA

☐	Verifies identity/order/formula/product before beginning	[ ] Needs practice [ ] Competent
☐	Performs hand hygiene and uses appropriate PPE	[ ] Needs practice [ ] Competent
☐	Organizes equipment and workspace before the task	[ ] Needs practice [ ] Competent
☐	Follows the correct sequence without bypassing safety controls	[ ] Needs practice [ ] Competent
☐	Recognizes unexpected findings and pauses/escalates appropriately	[ ] Needs practice [ ] Competent
☐	Maintains communication and patient dignity	[ ] Needs practice [ ] Competent
☐	Completes objective, timely documentation	[ ] Needs practice [ ] Competent
☐	Leaves equipment, product, and environment safe	[ ] Needs practice [ ] Competent
☐	Explains the rationale for the critical steps	[ ] Needs practice [ ] Competent
☐	Responds constructively to feedback and remediation	[ ] Needs practice [ ] Competent

Clinical / Practical Competency Checklist 4

PERFORMANCE CRITERIA

☐	Verifies identity/order/formula/product before beginning	[ ] Needs practice [ ] Competent
☐	Performs hand hygiene and uses appropriate PPE	[ ] Needs practice [ ] Competent
☐	Organizes equipment and workspace before the task	[ ] Needs practice [ ] Competent
☐	Follows the correct sequence without bypassing safety controls	[ ] Needs practice [ ] Competent
☐	Recognizes unexpected findings and pauses/escalates appropriately	[ ] Needs practice [ ] Competent
☐	Maintains communication and patient dignity	[ ] Needs practice [ ] Competent
☐	Completes objective, timely documentation	[ ] Needs practice [ ] Competent
☐	Leaves equipment, product, and environment safe	[ ] Needs practice [ ] Competent
☐	Explains the rationale for the critical steps	[ ] Needs practice [ ] Competent
☐	Responds constructively to feedback and remediation	[ ] Needs practice [ ] Competent

Clinical / Practical Competency Checklist 5

PERFORMANCE CRITERIA

☐	Verifies identity/order/formula/product before beginning	[ ] Needs practice [ ] Competent
☐	Performs hand hygiene and uses appropriate PPE	[ ] Needs practice [ ] Competent
☐	Organizes equipment and workspace before the task	[ ] Needs practice [ ] Competent
☐	Follows the correct sequence without bypassing safety controls	[ ] Needs practice [ ] Competent
☐	Recognizes unexpected findings and pauses/escalates appropriately	[ ] Needs practice [ ] Competent
☐	Maintains communication and patient dignity	[ ] Needs practice [ ] Competent
☐	Completes objective, timely documentation	[ ] Needs practice [ ] Competent
☐	Leaves equipment, product, and environment safe	[ ] Needs practice [ ] Competent
☐	Explains the rationale for the critical steps	[ ] Needs practice [ ] Competent
☐	Responds constructively to feedback and remediation	[ ] Needs practice [ ] Competent

Clinical / Practical Competency Checklist 6

PERFORMANCE CRITERIA

☐	Verifies identity/order/formula/product before beginning	[ ] Needs practice [ ] Competent
☐	Performs hand hygiene and uses appropriate PPE	[ ] Needs practice [ ] Competent
☐	Organizes equipment and workspace before the task	[ ] Needs practice [ ] Competent
☐	Follows the correct sequence without bypassing safety controls	[ ] Needs practice [ ] Competent
☐	Recognizes unexpected findings and pauses/escalates appropriately	[ ] Needs practice [ ] Competent
☐	Maintains communication and patient dignity	[ ] Needs practice [ ] Competent
☐	Completes objective, timely documentation	[ ] Needs practice [ ] Competent
☐	Leaves equipment, product, and environment safe	[ ] Needs practice [ ] Competent
☐	Explains the rationale for the critical steps	[ ] Needs practice [ ] Competent
☐	Responds constructively to feedback and remediation	[ ] Needs practice [ ] Competent

Comprehensive Question Bank

1. Which response best demonstrates safe application of role in the context of the dialysis technician
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

2. Which response best demonstrates safe application of nephron in the context of kidney anatomy and f
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

3. Which response best demonstrates safe application of reabsorption in the context of the nephron in
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

4. Which response best demonstrates safe application of symptoms in the context of chronic kidney dise
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

5. Which response best demonstrates safe application of replacement therapy in the context of kidney f
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

6. Which response best demonstrates safe application of sodium in the context of fluid and electrolyte
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

7. Which response best demonstrates safe application of hydrogen ions in the context of acid-base bala
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

8. Which response best demonstrates safe application of phosphate in the context of anemia and ckd-min
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

9. Which response best demonstrates safe application of convection awareness in the context of princip
   A. Proceed from memory to save time
   B. Verify the approved source, follow scope and policy, then document
   C. Skip any step that seems repetitive
   D. Continue when information conflicts

10. Which response best demonstrates safe application of safety systems in the context of hemodialysis
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

11. Which response best demonstrates safe application of membrane in the context of the dialyzer?
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

12. Which response best demonstrates safe application of dialysate in the context of water and dialysa
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

13. Which response best demonstrates safe application of catheter in the context of vascular access ty
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

14. Which response best demonstrates safe application of access care in the context of infection preve
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

15. Which response best demonstrates safe application of baseline symptoms in the context of pre-treat
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

16. Which response best demonstrates safe application of time in the context of understanding the trea
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

17. Which response best demonstrates safe application of machine checks in the context of hemodialysis
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

18. Which response best demonstrates safe application of start checks in the context of initiating hem
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

19. Which response best demonstrates safe application of access in the context of monitoring during he
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

20. Which response best demonstrates safe application of documentation in the context of terminating h
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

21. Which response best demonstrates safe application of hypotension in the context of common hemodial
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

22. Which response best demonstrates safe application of dyspnea in the context of emergency recogniti
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

23. Which response best demonstrates safe application of dwell in the context of peritoneal dialysis p
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

24. Which response best demonstrates safe application of dwell in the context of peritoneal dialysis e
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

25. Which response best demonstrates safe application of fluid balance in the context of peritoneal di
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

26. Which response best demonstrates safe application of fluid restriction in the context of patient e
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

27. Which response best demonstrates safe application of supervision in the context of the dialysis te
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

28. Which response best demonstrates safe application of blood supply in the context of kidney anatomy
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

29. Which response best demonstrates safe application of secretion in the context of the nephron in de
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

30. Which response best demonstrates safe application of multidisciplinary care in the context of chro
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

31. Which response best demonstrates safe application of loss of clearance in the context of kidney fa
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

32. Which response best demonstrates safe application of potassium in the context of fluid and electro
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

33. Which response best demonstrates safe application of metabolic acidosis in the context of acid-bas
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

34. Which response best demonstrates safe application of calcium in the context of anemia and ckd-mine
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

35. Which response best demonstrates safe application of concentration gradients in the context of pri
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

36. Which response best demonstrates safe application of machine in the context of hemodialysis system
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

37. Which response best demonstrates safe application of surface area in the context of the dialyzer?
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

38. Which response best demonstrates safe application of conductivity in the context of water and dial
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

39. Which response best demonstrates safe application of access protection in the context of vascular
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

40. Which response best demonstrates safe application of bloodborne pathogens in the context of infect
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

41. Which response best demonstrates safe application of identity in the context of pre-treatment pati
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

42. Which response best demonstrates safe application of blood flow in the context of understanding th
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

43. Which response best demonstrates safe application of circuit preparation in the context of hemodia
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

44. Which response best demonstrates safe application of documentation in the context of initiating he
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

45. Which response best demonstrates safe application of documentation in the context of monitoring du
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

46. Which response best demonstrates safe application of rinse-back awareness in the context of termin
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

47. Which response best demonstrates safe application of cramps in the context of common hemodialysis
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

48. Which response best demonstrates safe application of loss of consciousness in the context of emerg
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

49. Which response best demonstrates safe application of drain in the context of peritoneal dialysis p
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

50. Which response best demonstrates safe application of documentation in the context of peritoneal di
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

51. Which response best demonstrates safe application of peritonitis in the context of peritoneal dial
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

52. Which response best demonstrates safe application of diet principles in the context of patient edu
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

53. Which response best demonstrates safe application of scope in the context of the dialysis technici
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

54. Which response best demonstrates safe application of urine formation in the context of kidney anat
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

55. Which response best demonstrates safe application of concentration in the context of the nephron i
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

56. Which response best demonstrates safe application of causes in the context of chronic kidney disea
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

57. Which response best demonstrates safe application of fluid overload in the context of kidney failu
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

58. Which response best demonstrates safe application of water in the context of fluid and electrolyte
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

59. Which response best demonstrates safe application of monitoring in the context of acid-base balanc
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

60. Which response best demonstrates safe application of vitamin D in the context of anemia and ckd-mi
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

61. Which response best demonstrates safe application of diffusion in the context of principles of dia
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

62. Which response best demonstrates safe application of dialyzer in the context of hemodialysis syste
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

63. Which response best demonstrates safe application of blood compartment in the context of the dialy
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

64. Which response best demonstrates safe application of temperature in the context of water and dialy
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

65. Which response best demonstrates safe application of observation in the context of vascular access
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

66. Which response best demonstrates safe application of hand hygiene in the context of infection prev
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

67. Which response best demonstrates safe application of weight in the context of pre-treatment patien
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

68. Which response best demonstrates safe application of dialysate flow in the context of understandin
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

69. Which response best demonstrates safe application of dialyzer in the context of hemodialysis machi
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

70. Which response best demonstrates safe application of supervision in the context of initiating hemo
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

71. Which response best demonstrates safe application of vital signs in the context of monitoring duri
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

72. Which response best demonstrates safe application of access care in the context of terminating hem
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

73. Which response best demonstrates safe application of nausea in the context of common hemodialysis
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

74. Which response best demonstrates safe application of hemolysis awareness in the context of emergen
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

75. Which response best demonstrates safe application of modalities in the context of peritoneal dialy
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

76. Which response best demonstrates safe application of aseptic setup in the context of peritoneal di
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

77. Which response best demonstrates safe application of exit-site infection in the context of periton
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

78. Which response best demonstrates safe application of access protection in the context of patient e
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

79. Which response best demonstrates safe application of patient safety in the context of the dialysis
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

80. Which response best demonstrates safe application of homeostasis in the context of kidney anatomy
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

81. Which response best demonstrates safe application of glomerulus in the context of the nephron in d
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

82. Which response best demonstrates safe application of stages awareness in the context of chronic ki
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

83. Which response best demonstrates safe application of electrolytes in the context of kidney failure
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

84. Which response best demonstrates safe application of edema in the context of fluid and electrolyte
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

85. Which response best demonstrates safe application of dialysis role in the context of acid-base bal
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

86. Which response best demonstrates safe application of erythropoietin in the context of anemia and c
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

87. Which response best demonstrates safe application of osmosis in the context of principles of dialy
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

88. Which response best demonstrates safe application of blood circuit in the context of hemodialysis
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

89. Which response best demonstrates safe application of dialysate compartment in the context of the d
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

90. Which response best demonstrates safe application of safety in the context of water and dialysate
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Comprehensive Question Bank

91. Which response best demonstrates safe application of AV fistula in the context of vascular access
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

92. Which response best demonstrates safe application of PPE in the context of infection prevention in
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

93. Which response best demonstrates safe application of vital signs in the context of pre-treatment p
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

94. Which response best demonstrates safe application of ultrafiltration goal in the context of unders
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

95. Which response best demonstrates safe application of safety verification in the context of hemodia
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

96. Which response best demonstrates safe application of patient preparation in the context of initiat
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

97. Which response best demonstrates safe application of machine pressures in the context of monitorin
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

98. Which response best demonstrates safe application of post weight in the context of terminating hem
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

99. Which response best demonstrates safe application of headache in the context of common hemodialysi
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

100. Which response best demonstrates safe application of air embolism awareness in the context of eme
    A. Proceed from memory to save time
    B. Verify the approved source, follow scope and policy, then document
    C. Skip any step that seems repetitive
    D. Continue when information conflicts

Question Bank Answers & Rationales

1. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the dialysis technician and renal-care team, role should never be handled by guessing or bypassing a required check.

2. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In kidney anatomy and function, nephron should never be handled by guessing or bypassing a required check.

3. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the nephron in detail, reabsorption should never be handled by guessing or bypassing a required check.

4. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In chronic kidney disease, symptoms should never be handled by guessing or bypassing a required check.

5. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In kidney failure and uremia, replacement therapy should never be handled by guessing or bypassing a required check.

6. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In fluid and electrolyte balance, sodium should never be handled by guessing or bypassing a required check.

7. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In acid-base balance in kidney disease, hydrogen ions should never be handled by guessing or bypassing a required check.

8. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In anemia and ckd-mineral bone concepts, phosphate should never be handled by guessing or bypassing a required check.

9. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In principles of dialysis, convection awareness should never be handled by guessing or bypassing a required check.

10. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In hemodialysis system overview, safety systems should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

11. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the dialyzer, membrane should never be handled by guessing or bypassing a required check.

12. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In water and dialysate foundations, dialysate should never be handled by guessing or bypassing a required check.

13. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In vascular access types, catheter should never be handled by guessing or bypassing a required check.

14. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In infection prevention in dialysis, access care should never be handled by guessing or bypassing a required check.

15. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In pre-treatment patient assessment, baseline symptoms should never be handled by guessing or bypassing a required check.

16. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In understanding the treatment prescription, time should never be handled by guessing or bypassing a required check.

17. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In hemodialysis machine setup, machine checks should never be handled by guessing or bypassing a required check.

18. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In initiating hemodialysis, start checks should never be handled by guessing or bypassing a required check.

19. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In monitoring during hemodialysis, access should never be handled by guessing or bypassing a required check.

20. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In terminating hemodialysis, documentation should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

21. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In common hemodialysis complications, hypotension should never be handled by guessing or bypassing a required check.

22. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In emergency recognition in dialysis, dyspnea should never be handled by guessing or bypassing a required check.

23. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis principles, dwell should never be handled by guessing or bypassing a required check.

24. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis exchange, dwell should never be handled by guessing or bypassing a required check.

25. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis complications, fluid balance should never be handled by guessing or bypassing a required check.

26. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In patient education, nutrition and psychosocial support, fluid restriction should never be handled by guessing or bypassing a required check.

27. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the dialysis technician and renal-care team, supervision should never be handled by guessing or bypassing a required check.

28. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In kidney anatomy and function, blood supply should never be handled by guessing or bypassing a required check.

29. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the nephron in detail, secretion should never be handled by guessing or bypassing a required check.

30. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In chronic kidney disease, multidisciplinary care should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

31. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In kidney failure and uremia, loss of clearance should never be handled by guessing or bypassing a required check.

32. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In fluid and electrolyte balance, potassium should never be handled by guessing or bypassing a required check.

33. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In acid-base balance in kidney disease, metabolic acidosis should never be handled by guessing or bypassing a required check.

34. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In anemia and ckd-mineral bone concepts, calcium should never be handled by guessing or bypassing a required check.

35. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In principles of dialysis, concentration gradients should never be handled by guessing or bypassing a required check.

36. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In hemodialysis system overview, machine should never be handled by guessing or bypassing a required check.

37. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the dialyzer, surface area should never be handled by guessing or bypassing a required check.

38. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In water and dialysate foundations, conductivity should never be handled by guessing or bypassing a required check.

39. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In vascular access types, access protection should never be handled by guessing or bypassing a required check.

40. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In infection prevention in dialysis, bloodborne pathogens should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

41. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In pre-treatment patient assessment, identity should never be handled by guessing or bypassing a required check.

42. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In understanding the treatment prescription, blood flow should never be handled by guessing or bypassing a required check.

43. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In hemodialysis machine setup, circuit preparation should never be handled by guessing or bypassing a required check.

44. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In initiating hemodialysis, documentation should never be handled by guessing or bypassing a required check.

45. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In monitoring during hemodialysis, documentation should never be handled by guessing or bypassing a required check.

46. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In terminating hemodialysis, rinse-back awareness should never be handled by guessing or bypassing a required check.

47. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In common hemodialysis complications, cramps should never be handled by guessing or bypassing a required check.

48. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In emergency recognition in dialysis, loss of consciousness should never be handled by guessing or bypassing a required check.

49. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis principles, drain should never be handled by guessing or bypassing a required check.

50. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis exchange, documentation should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

51. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis complications, peritonitis should never be handled by guessing or bypassing a required check.

52. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In patient education, nutrition and psychosocial support, diet principles should never be handled by guessing or bypassing a required check.

53. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the dialysis technician and renal-care team, scope should never be handled by guessing or bypassing a required check.

54. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In kidney anatomy and function, urine formation should never be handled by guessing or bypassing a required check.

55. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the nephron in detail, concentration should never be handled by guessing or bypassing a required check.

56. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In chronic kidney disease, causes should never be handled by guessing or bypassing a required check.

57. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In kidney failure and uremia, fluid overload should never be handled by guessing or bypassing a required check.

58. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In fluid and electrolyte balance, water should never be handled by guessing or bypassing a required check.

59. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In acid-base balance in kidney disease, monitoring should never be handled by guessing or bypassing a required check.

60. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In anemia and ckd-mineral bone concepts, vitamin D should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

61. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In principles of dialysis, diffusion should never be handled by guessing or bypassing a required check.

62. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In hemodialysis system overview, dialyzer should never be handled by guessing or bypassing a required check.

63. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the dialyzer, blood compartment should never be handled by guessing or bypassing a required check.

64. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In water and dialysate foundations, temperature should never be handled by guessing or bypassing a required check.

65. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In vascular access types, observation should never be handled by guessing or bypassing a required check.

66. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In infection prevention in dialysis, hand hygiene should never be handled by guessing or bypassing a required check.

67. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In pre-treatment patient assessment, weight should never be handled by guessing or bypassing a required check.

68. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In understanding the treatment prescription, dialysate flow should never be handled by guessing or bypassing a required check.

69. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In hemodialysis machine setup, dialyzer should never be handled by guessing or bypassing a required check.

70. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In initiating hemodialysis, supervision should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

71. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In monitoring during hemodialysis, vital signs should never be handled by guessing or bypassing a required check.

72. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In terminating hemodialysis, access care should never be handled by guessing or bypassing a required check.

73. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In common hemodialysis complications, nausea should never be handled by guessing or bypassing a required check.

74. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In emergency recognition in dialysis, hemolysis awareness should never be handled by guessing or bypassing a required check.

75. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis principles, modalities should never be handled by guessing or bypassing a required check.

76. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis exchange, aseptic setup should never be handled by guessing or bypassing a required check.

77. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In peritoneal dialysis complications, exit-site infection should never be handled by guessing or bypassing a required check.

78. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In patient education, nutrition and psychosocial support, access protection should never be handled by guessing or bypassing a required check.

79. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the dialysis technician and renal-care team, patient safety should never be handled by guessing or bypassing a required check.

80. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In kidney anatomy and function, homeostasis should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

81. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the nephron in detail, glomerulus should never be handled by guessing or bypassing a required check.

82. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In chronic kidney disease, stages awareness should never be handled by guessing or bypassing a required check.

83. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In kidney failure and uremia, electrolytes should never be handled by guessing or bypassing a required check.

84. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In fluid and electrolyte balance, edema should never be handled by guessing or bypassing a required check.

85. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In acid-base balance in kidney disease, dialysis role should never be handled by guessing or bypassing a required check.

86. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In anemia and ckd-mineral bone concepts, erythropoietin should never be handled by guessing or bypassing a required check.

87. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In principles of dialysis, osmosis should never be handled by guessing or bypassing a required check.

88. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In hemodialysis system overview, blood circuit should never be handled by guessing or bypassing a required check.

89. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In the dialyzer, dialysate compartment should never be handled by guessing or bypassing a required check.

90. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In water and dialysate foundations, safety should never be handled by guessing or bypassing a required check.

Question Bank Answers & Rationales

91. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In vascular access types, AV fistula should never be handled by guessing or bypassing a required check.

92. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In infection prevention in dialysis, PPE should never be handled by guessing or bypassing a required check.

93. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In pre-treatment patient assessment, vital signs should never be handled by guessing or bypassing a required check.

94. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In understanding the treatment prescription, ultrafiltration goal should never be handled by guessing or bypassing a required check.

95. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In hemodialysis machine setup, safety verification should never be handled by guessing or bypassing a required check.

96. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In initiating hemodialysis, patient preparation should never be handled by guessing or bypassing a required check.

97. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In monitoring during hemodialysis, machine pressures should never be handled by guessing or bypassing a required check.

98. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In terminating hemodialysis, post weight should never be handled by guessing or bypassing a required check.

99. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In common hemodialysis complications, headache should never be handled by guessing or bypassing a required check.

100. B Verification, scope, policy, and documentation protect the patient and preserve traceability. In emergency recognition in dialysis, air embolism awareness should never be handled by guessing or bypassing a required check.

Glossary

The Dialysis Technician And Renal-Care Team

A key concept in dialysis technician practice concerning the dialysis technician and renal-care team. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Role

A key concept in dialysis technician practice concerning role. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Supervision

A key concept in dialysis technician practice concerning supervision. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Scope

A key concept in dialysis technician practice concerning scope. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Patient Safety

A key concept in dialysis technician practice concerning patient safety. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Team Communication

A key concept in dialysis technician practice concerning team communication. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Kidney Anatomy And Function

A key concept in dialysis technician practice concerning kidney anatomy and function. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Kidney Structure

A key concept in dialysis technician practice concerning kidney structure. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Nephron

A key concept in dialysis technician practice concerning nephron. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Blood Supply

A key concept in dialysis technician practice concerning blood supply. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Urine Formation

A key concept in dialysis technician practice concerning urine formation. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Homeostasis

A key concept in dialysis technician practice concerning homeostasis. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

The Nephron In Detail

A key concept in dialysis technician practice concerning the nephron in detail. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glomerulus

A key concept in dialysis technician practice concerning glomerulus. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Tubules

A key concept in dialysis technician practice concerning tubules. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Reabsorption

A key concept in dialysis technician practice concerning reabsorption. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Secretion

A key concept in dialysis technician practice concerning secretion. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Concentration

A key concept in dialysis technician practice concerning concentration. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Chronic Kidney Disease

A key concept in dialysis technician practice concerning chronic kidney disease. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Causes

A key concept in dialysis technician practice concerning causes. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Stages Awareness

A key concept in dialysis technician practice concerning stages awareness. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Progression

A key concept in dialysis technician practice concerning progression. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Symptoms

A key concept in dialysis technician practice concerning symptoms. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Multidisciplinary Care

A key concept in dialysis technician practice concerning multidisciplinary care. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Kidney Failure And Uremia

A key concept in dialysis technician practice concerning kidney failure and uremia. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Loss Of Clearance

A key concept in dialysis technician practice concerning loss of clearance. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Fluid Overload

A key concept in dialysis technician practice concerning fluid overload. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Electrolytes

A key concept in dialysis technician practice concerning electrolytes. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Uremic Symptoms

A key concept in dialysis technician practice concerning uremic symptoms. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Replacement Therapy

A key concept in dialysis technician practice concerning replacement therapy. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Fluid And Electrolyte Balance

A key concept in dialysis technician practice concerning fluid and electrolyte balance. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Sodium

A key concept in dialysis technician practice concerning sodium. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Potassium

A key concept in dialysis technician practice concerning potassium. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Water

A key concept in dialysis technician practice concerning water. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Edema

A key concept in dialysis technician practice concerning edema. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Weight

A key concept in dialysis technician practice concerning weight. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Acid-Base Balance In Kidney Disease

A key concept in dialysis technician practice concerning acid-base balance in kidney disease. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Bicarbonate

A key concept in dialysis technician practice concerning bicarbonate. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Hydrogen Ions

A key concept in dialysis technician practice concerning hydrogen ions. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Metabolic Acidosis

A key concept in dialysis technician practice concerning metabolic acidosis. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Monitoring

A key concept in dialysis technician practice concerning monitoring. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Dialysis Role

A key concept in dialysis technician practice concerning dialysis role. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Anemia And Ckd-Mineral Bone Concepts

A key concept in dialysis technician practice concerning anemia and ckd-mineral bone concepts. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Erythropoietin

A key concept in dialysis technician practice concerning erythropoietin. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Iron

A key concept in dialysis technician practice concerning iron. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Phosphate

A key concept in dialysis technician practice concerning phosphate. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Calcium

A key concept in dialysis technician practice concerning calcium. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Vitamin D

A key concept in dialysis technician practice concerning vitamin d. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Principles Of Dialysis

A key concept in dialysis technician practice concerning principles of dialysis. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Diffusion

Movement of solute particles from an area of higher concentration toward lower concentration across an available pathway or membrane.

Osmosis

A key concept in dialysis technician practice concerning osmosis. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Ultrafiltration

Removal of fluid across a semipermeable membrane by a pressure gradient; a central mechanism used in dialysis fluid removal.

Convection Awareness

A key concept in dialysis technician practice concerning convection awareness. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Concentration Gradients

A key concept in dialysis technician practice concerning concentration gradients. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Hemodialysis System Overview

A key concept in dialysis technician practice concerning hemodialysis system overview. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Machine

A key concept in dialysis technician practice concerning machine. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Dialyzer

A key concept in dialysis technician practice concerning dialyzer. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Blood Circuit

A key concept in dialysis technician practice concerning blood circuit. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Dialysate Circuit

A key concept in dialysis technician practice concerning dialysate circuit. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Safety Systems

A key concept in dialysis technician practice concerning safety systems. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

The Dialyzer

A key concept in dialysis technician practice concerning the dialyzer. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Membrane

A key concept in dialysis technician practice concerning membrane. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Surface Area

A key concept in dialysis technician practice concerning surface area. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Blood Compartment

A key concept in dialysis technician practice concerning blood compartment. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Dialysate Compartment

A key concept in dialysis technician practice concerning dialysate compartment. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Clearance

A key concept in dialysis technician practice concerning clearance. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Water And Dialysate Foundations

A key concept in dialysis technician practice concerning water and dialysate foundations. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Water Treatment

A key concept in dialysis technician practice concerning water treatment. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Dialysate

A key concept in dialysis technician practice concerning dialysate. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Conductivity

A key concept in dialysis technician practice concerning conductivity. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Temperature

A key concept in dialysis technician practice concerning temperature. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Safety

A key concept in dialysis technician practice concerning safety. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Glossary

Vascular Access Types

A key concept in dialysis technician practice concerning vascular access types. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Av Fistula

A key concept in dialysis technician practice concerning av fistula. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Av Graft

A key concept in dialysis technician practice concerning av graft. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Catheter

A key concept in dialysis technician practice concerning catheter. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Access Protection

A key concept in dialysis technician practice concerning access protection. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Observation

A key concept in dialysis technician practice concerning observation. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Infection Prevention In Dialysis

A key concept in dialysis technician practice concerning infection prevention in dialysis. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Hand Hygiene

A key concept in dialysis technician practice concerning hand hygiene. Students should understand its purpose, safety implications, required documentation, and relationship to scope and local policy.

Subject Index

access 192, 195, 196
access bleeding 213, 215, 216
access care 142, 145, 146, 203, 205, 206
access check 152, 155, 156
access connection 183, 185, 186
access protection 132, 135, 136, 264, 265, 266
Acid-Base Balance in Kidney Disease 71, 75, 76
adherence 262, 265, 266
air embolism awareness 223, 225, 226
Anemia and CKD-Mineral Bone Concepts 81, 85, 86
aseptic setup 242, 245, 246
AV fistula 132, 135, 136
AV graft 133, 135, 136
baseline symptoms 153, 155, 156
bicarbonate 72, 75, 76

Subject Index

blood circuit 104, 105, 106
blood compartment 114, 115, 116
blood flow 163, 165, 166
blood supply 24, 25, 26
bloodborne pathogens 143, 145, 146
calcium 82, 85, 86
catheter 134, 135, 136
causes 42, 45, 46
chest pain 222, 225, 226
Chronic Kidney Disease 41, 45, 46
circuit preparation 174, 175, 176
clearance 113, 115, 116
Common Hemodialysis Complications 211, 215, 216
concentration 33, 35, 36
concentration gradients 93, 95, 96

Subject Index

conductivity 124, 125, 126
convection awareness 92, 95, 96
coping 263, 265, 266
cramps 213, 215, 216
dialysate 123, 125, 126, 233, 235, 236
dialysate circuit 102, 105, 106
dialysate compartment 112, 115, 116
dialysate flow 164, 165, 166
dialysis role 73, 75, 76
dialyzer 103, 105, 106, 172, 175, 176
diet principles 263, 265, 266
diffusion 92, 95, 96
documentation 182, 185, 186, 193, 195, 196, 203, 205, 206, 243, 245, 246
drain 232, 235, 236, 243, 245, 246
dwell 234, 235, 236, 242, 245, 246

Subject Index

dyspnea 223, 225, 226
edema 62, 65, 66
electrolytes 54, 55, 56
Emergency Recognition in Dialysis 221, 225, 226
erythropoietin 82, 85, 86
exit-site infection 253, 255, 256
fill 244, 245, 246
Fluid and Electrolyte Balance 61, 65, 66
fluid balance 253, 255, 256
fluid overload 53, 55, 56
fluid restriction 262, 265, 266
glomerulus 32, 35, 36
hand hygiene 142, 145, 146
headache 212, 215, 216
Hemodialysis Machine Setup 171, 175, 176

Subject Index

Hemodialysis System Overview 101, 105, 106
hemolysis awareness 222, 225, 226
homeostasis 23, 25, 26
hydrogen ions 73, 75, 76
hypotension 212, 215, 216
identity 152, 155, 156
Infection Prevention in Dialysis 141, 145, 146
Initiating Hemodialysis 181, 185, 186
iron 83, 85, 86
Kidney Anatomy and Function 21, 25, 26
Kidney Failure and Uremia 51, 55, 56
kidney structure 22, 25, 26
leaks 252, 255, 256
loss of clearance 52, 55, 56
loss of consciousness 224, 225, 226

Subject Index

machine 102, 105, 106
machine checks 173, 175, 176
machine pressures 193, 195, 196
membrane 112, 115, 116
metabolic acidosis 74, 75, 76
modalities 233, 235, 236
monitoring 72, 75, 76
Monitoring During Hemodialysis 191, 195, 196
multidisciplinary care 43, 45, 46
nausea 214, 215, 216
nephron 23, 25, 26
observation 133, 135, 136
osmosis 93, 95, 96
Patient Education, Nutrition and Psychosocial Support 261, 265, 266
patient preparation 182, 185, 186

Subject Index

patient safety 12, 15, 16
Peritoneal Dialysis Complications 251, 255, 256
Peritoneal Dialysis Exchange 241, 245, 246
Peritoneal Dialysis Principles 231, 235, 236
peritoneum 232, 235, 236
peritonitis 252, 255, 256
phosphate 84, 85, 86
poor flow 254, 255, 256
post weight 204, 205, 206
potassium 63, 65, 66
PPE 143, 145, 146
Pre-Treatment Patient Assessment 151, 155, 156
Principles of Dialysis 91, 95, 96
progression 44, 45, 46
reabsorption 34, 35, 36

Subject Index

replacement therapy 53, 55, 56
rinse-back awareness 202, 205, 206
role 12, 15, 16
safety 123, 125, 126
safety systems 103, 105, 106
safety verification 173, 175, 176
scope 14, 15, 16
scope limitations 163, 165, 166
secretion 32, 35, 36
sodium 62, 65, 66
stages awareness 43, 45, 46
start checks 184, 185, 186
station cleaning 144, 145, 146
supervision 13, 15, 16, 183, 185, 186
supplies 172, 175, 176

Subject Index

surface area 113, 115, 116
symptoms 42, 45, 46, 194, 195, 196
team communication 13, 15, 16
temperature 122, 125, 126
Terminating Hemodialysis 201, 205, 206
The Dialysis Technician and Renal-Care Team 11, 15, 16
The Dialyzer 111, 115, 116
The Nephron in Detail 31, 35, 36
time 162, 165, 166
tubules 33, 35, 36
ultrafiltration 94, 95, 96
ultrafiltration goal 162, 165, 166
Understanding the Treatment Prescription 161, 165, 166
uremic symptoms 52, 55, 56
urine formation 22, 25, 26

Subject Index

Vascular Access Types 131, 135, 136
vital signs 154, 155, 156, 192, 195, 196, 202, 205, 206
vitamin D 83, 85, 86
water 64, 65, 66
Water and Dialysate Foundations 121, 125, 126
water treatment 122, 125, 126
weight 63, 65, 66, 153, 155, 156

References, Standards & Source Architecture

1. CDIL Postsecondary Master Course Descriptions & Curriculum Register 2026-2027 (controlling curriculum source).

2. Current institutional policy, local law, regulator requirements, validated manufacturer instructions, and clinical/site protocols must be used for jurisdiction-specific implementation.

3. Benchmark reference architecture: contemporary dialysis-technician and renal-care education texts, professional standards, infection-prevention guidance, water/dialysate quality principles, equipment instructions, and quality-management resources.

4. All dialysis, vascular-access, machine, water-quality, medication, and emergency procedures should be verified against current authoritative sources and facility protocols at the time of instruction and practice.

Currency statement

Medication, regulatory, device, infection-control, and clinical standards change. Instructors must verify time-sensitive content before each cohort and document the references adopted for that cohort.

References, Standards & Source Architecture

1. CDIL Postsecondary Master Course Descriptions & Curriculum Register 2026-2027 (controlling curriculum source).

2. Current institutional policy, local law, regulator requirements, validated manufacturer instructions, and clinical/site protocols must be used for jurisdiction-specific implementation.

3. Benchmark reference architecture: contemporary dialysis-technician and renal-care education texts, professional standards, infection-prevention guidance, water/dialysate quality principles, equipment instructions, and quality-management resources.

4. All dialysis, vascular-access, machine, water-quality, medication, and emergency procedures should be verified against current authoritative sources and facility protocols at the time of instruction and practice.

Currency statement

Medication, regulatory, device, infection-control, and clinical standards change. Instructors must verify time-sensitive content before each cohort and document the references adopted for that cohort.

References, Standards & Source Architecture

1. CDIL Postsecondary Master Course Descriptions & Curriculum Register 2026-2027 (controlling curriculum source).

2. Current institutional policy, local law, regulator requirements, validated manufacturer instructions, and clinical/site protocols must be used for jurisdiction-specific implementation.

3. Benchmark reference architecture: contemporary dialysis-technician and renal-care education texts, professional standards, infection-prevention guidance, water/dialysate quality principles, equipment instructions, and quality-management resources.

4. All dialysis, vascular-access, machine, water-quality, medication, and emergency procedures should be verified against current authoritative sources and facility protocols at the time of instruction and practice.

Currency statement

Medication, regulatory, device, infection-control, and clinical standards change. Instructors must verify time-sensitive content before each cohort and document the references adopted for that cohort.

References, Standards & Source Architecture

1. CDIL Postsecondary Master Course Descriptions & Curriculum Register 2026-2027 (controlling curriculum source).

2. Current institutional policy, local law, regulator requirements, validated manufacturer instructions, and clinical/site protocols must be used for jurisdiction-specific implementation.

3. Benchmark reference architecture: contemporary dialysis-technician and renal-care education texts, professional standards, infection-prevention guidance, water/dialysate quality principles, equipment instructions, and quality-management resources.

4. All dialysis, vascular-access, machine, water-quality, medication, and emergency procedures should be verified against current authoritative sources and facility protocols at the time of instruction and practice.

Currency statement

Medication, regulatory, device, infection-control, and clinical standards change. Instructors must verify time-sensitive content before each cohort and document the references adopted for that cohort.